



DISCS





Customer Service. Tel 020 8232 1800 After Sales Service. Tel 020 8232 1800 Sales Enquiries. Tel 020 8232 1800 Email: sales@robotcoupe.co.uk

Call us to arrange a free, no-obligation demonstration of the **Robot-Coupe** range in your own kitchen

NEW PRODUCTS AND FEATURES

FOOD PROCESSORS AND VEG PREP MACHINES: THE READY-TO-USE SOLUTION

For years Robot-Coupe has been offering machines with discs included for immediate use. The range is expanding: discover all our new products







CL 60

Stainless Steel: Now all accessories in contact with food can be cleaned more easily in the dishwasher for a longer lifespan.



NEW PRODUCTS AND FEATURES

PAGE 126 KITCHEN BLENDERS New product range consisting of 2 models - BL 3 and BL 5. Their exclusive X-Flow technology ensures maximum turbulence in the bowl. Expertly blended in seconds...





NEW

NEW

SPECIAL RANGE FOR TILTING PANS

New Special MP range for Tilting Pans perfectly suited for use with tilting bratt pans, from the smallest to the largest.



PAGE **149**





PLANETARY MIXER

Discover the new Planetary Mixer, equipped with a powerful, silent motor, for your everyday cooking and pastry preparations.



NEW ACCESSORIES AND FEATURES







THE SOLUTION TO PREPARE FRENCH FRIES

You can make long, perfectly formed French fries with EasyLoader. Featuring a continuous-feed function, it cuts potatoes lengthwise for optimal yield in a new 6x6 mm size.





robot / coupe®

INNOVATION AT THE HEART OF OUR HISTORY

Since 1961, Robot-Coupe has designed, developed and manufactured all its products in France, the home of gastronomy.



MORE THAN 60 YEARS OF INNOVATION HUNDREDS OF EXCLUSIVE PATENTS

1961: 1st standing vegetable slicer 1960 / 1970 1966: 1st Vertical Cutter Mixer 1970: 1st Food Processor 1970 / 1980 1975: Ranges of Cutter Mixers and Food Processors 1980: 1st Blixer[®] - Blender Mixer 1986: 1st CL 50 Vegetable Preparation machine 1990: Range of Vegetable Preparation machines 1990 / 2000 1996: 1st Immersion Blender with removable foot 2000: Range of Immersion Blender 2008: 1st Automatic Juice Extractor 2012: 1st Professional Cooking Cutter Blender 2020: Launch of new Juice Extractor range and 12 new large-capacity table-top models of Food Processors, Cutter Mixers and Blixer®. 2022: Launch of new Kitchen Blender range 2024: MP TP EasyStacker EasyLoader 2025: Launch of new Planetary Mixer INNOVATION All the latest Robot-Coupe® innovations are indicated with the pictogram.



WORLD LEADER PRESENT IN MORE THAN 130 COUNTRIES



LOCAL COMMITMENT FOR OVER 40 YEARS

Present in more than 130 countries, Robot-Coupe uses its expertise and know how as a world leader to constantly adapt to different types of local cuisine. Across the globe, our teams provide ongoing support to distributors and catering professionals to meet their specific needs.



A CULTURE OF COMMITMENT



DESIGNED AND MADE IN FRANCE

Robot-Coupe products are all designed and made in France to guarantee a superior level of quality and ensure unbeatable performance. Our products are always at the cutting edge of technology and excellence.

INNOVATIVE AND DURABLE

Because our goal is to meet your needs, innovation is our focus to anticipate your every requirement.

We commit to offering you high performance, durable products that exceed the current norms, with technical and industrial choices designed to guarantee the durability, maintenance and repairability of our products.





INSPIRING AND SATISFYING

Being your partner in the kitchen stimulates our research and development to imagine, improve and create new ways of utilising our products.

Your satisfaction is our priority to build a lasting relationship of trust and allow you to express your full culinary creativity.

robot / coupe

A COMPANY COMMITTED TO SUSTAINABLE DEVELOPMENT

Throughout the decades, Robot-Coupe has been committed to a policy of social and ethical responsibility with four points of focus.

" Our heavy duty machines are designed to last " "We go beyond the requirements to guarantee the highest levels of performance " Our partners are based in Europe and we support them in developing a sustainable approach " 100% of our machines

can be repaired and more than 95% recyclable "

STRONG COMMITMENTS THROUGHOUT THE SERVICE LIFE OF PRODUCTS

DESIGN

Products designed to last

- The materials used for our machines are high quality and long lasting.
- Our machines provide energy efficiency and savings throughout their service life.
- 100% of our products can be repaired.
- Spare parts are available for more than 10 years after a product is discontinued.

PRODUCTION

Ethical and responsible practice

- Compliance with the most stringent standards.
- Application of the ROHS directive (Restriction Of Hazardous Substances) and incorporation of future standards such as the EuP (Energy Using Product).
- The choice of European supply partners to reduce transport and its impact on the environment.





RESOURCES

Sustainable resource management:

- Reduction in packaging from design onwards and decrease in production waste.
- High precision machines to reduce waste in the kitchen.
- Our products are more than 95% recyclable.
- Participation in waste collection and recycling schemes in each country.

PEOPLE

A socially committed company:

- An individual employee development policy and promotion of ethics.
- Respect of International Labour Organisation standards.
- Sharing of our CSR requirements with our partners with corresponding support and backing.









BY YOUR SIDE IN THE FIELD

- Machine demonstrations
- Inspection of existing material
- Technical in-restaurant training
- Support for machine repairs, maintenance and spare parts
- Sharing of experience.



TO IMPROVE USERS' DAILY LIFE

Machine QR code to access full product information on robot-coupe.com: videos, manuals, documentation, maintenance, accessories, safety information...





A TRUSTED PARTNER



CUSTOMER SERVICE TO ASSIST YOU

- A dedicated team answers questions about your order, quotation, invoice or shipping
- Delivery of products and accessories within 48 hours / Spare parts within 24 hours

HIGH-PERFORMANCE LOGISTICS CENTRE

- Warehouse with 90% of our references in stock
- A dedicated team tracks and organises orders and ensures shipment traceability





HIGH-TECH ASSISTANCE

- Dedicated team
- Help with trouble-shooting, repairs, maintenance
- Video tutorials

EFFICIENT AFTER-SALES SERVICE

- After-sales service website where you can:
 - Consult exploded views and wiring diagrams of spare parts
 - Search for references & prices
 - Place orders in real time





robot () coupe®

EASY LIFE



FOR A PERFECTLY EVEN & PRECISE CUT

Vegetable Preparation Machines - Food Processors

EasyStacker For perfectly sliced and stacked tomatoes

Exactitube To cut small ingredients into regular slices **EasyLoader** To continuously make long and perfectly formed French fries

■ REDUCE STRAIN → PREVENT MUSCULOSKELETAL DISORDERS

Immersion Blenders - Juice Extractors



Automatic feed tube With the exclusive automatic feed system, fruit and vegetables can be processed effortlessly

MAKES LIFE EASIER

EASY CLEANING







MINI CATALOGUE UK Ref. 450 895



SELECTION GUIDE Discs Ref. 451 928

robot Ø coupe°

Fraîcheur & Vitamines



RECIPE BOOKS Freshness & Vitamins Ref. 451 738



RECIPE BOOKS Nutrition & Healthcare Ref. 451 532



RECIPE BOOKS Robot Cook - Ref. 450 986



IN YOUR STORES AND SHOWROOMS



Set of 3 displays Ref. 451 581 Dimensions: L126 x H60 x W40 cm



Ref. 407 818 Header only: Ref. 430 356

Ref. 450 421 Header only: Ref. 450 767

Ref. 407 435 Header only: Ref. 430 323

robot / coupe

IS AT YOUR SIDE

FIND ALL OUR VIDEOS ON THE OFFICIAL ROBOT-COUPE CHANNEL:

YouTube





Robot-Coupe R 301 Ultra video



Robot-Coupe CL 50 Ultra video



Robot-Coupe J 100 video

VIDEOS ALSO ON robot-coupe.com

ON THE OFFICIAL ROBOT-COUPE SOCIAL MEDIA





Linkedin robot-coupe-official

Youtube



Facebook **RobotCoupeOfficial**



Instagram robotcoupe_official

AND WITH OUR AFTER SALES SERVICE



After Sales Service videos

To train your technicians on maintenance and repair operations.

A COMPREHENSIVE WEBSITE





NEW

NEW ROBOT-COUPE WEBSITE

- Responsive design and user friendly: easy access to information no matter your device (desktop computer, mobile, tablet)
- Videos : discover our products live and train yourself

FOR YOU, DEALERS AND KITCHEN PLANNERS



• Dedicated access : consult and download technical instructions, specifications, 2D, 3D & BIM drawings



		and the second second		
robot a coup	e' 🤅	Q. Smith be present to an		-
includity with moreau	-	au tommor us	(and the second s	-
mouth a beauties print				
SELECTION GUID				
Selector of the				
Post the machine for your v	eeds, based on the artes	that private below.		
ACT PROPERTY.	B.r	C revenue	ů	
and the second se				
(344.9)	And and		Markows	-
time and the	Summer 4.8 mm		141	- 11
the local sectors and		-	CL 10 Same	e
1 24	-		6 a.w.	- 1
			10.00	

FOR YOUR CUSTOMERS

- Selection guide : find the right machine in just a few clicks
- **Product registration :** download user' manuals and safety instructions sheets



SOLUTIONS FOR EVERY FOOD SECTOR

COMMERCIAL FOODSERVICE



FAST FOOD

Fast Food Juice Bars Takeaway Salad & Sandwich Bars Cafeterias Food Courts



CATERING FOR THE EDUCATIONAL SECTOR

Day care Pre-school Primary school High school University Central kitchens







ARTISANS AND SUPERMARKETS



BAKERS AND Confectioners

Bakers Confectioners Tea rooms Ice cream parlours Chocolate makers Pie shops



COMMERCIAL FOODSERVICE

HOTEL CATERING

All categories of hotels Banquets Holiday centres Camping grounds Staff canteens



CONTRACT CATERING



SERVICE

Mining Sites Army Prisons Central kitchens

DELICATESSEN

CATERING

Delicatessens

Caterers

SOCIAL FOOD

FULL SERVICE

Traditional restaurants

Theme restaurants

Casual dining

Bistro cuisine

Gourmet cuisine

Chains

Company restaurants Institutional restaurants

CATERING IN THE HEALTHCARE **SECTOR**

Retirement / Nursing Homes Hospitals Special needs facilities Central kitchens

ARTISANS AND SUPERMARKETS

SUPERMARKETS

Freshly cut food Greengrocers Juice bars Delicatessens Snack bars Food Courts



#THEsolution





MAKE LIFE EASIER FOR THE USER

Fewer manual tasks to take away the strain



Invest in a CL 50 = Save one hour of work a day.





#THEsolution







BOOST YOUR CREATIVITY Let your imagination run wild







FRESHNESS AND ORIGINS OF PRODUCT

HOMEMADE





SEASONAL PRODUCT













CONTENTS

DISC COLLECTION PAGF 40



VEGETABLE PREPARATION MACHINES PAGE 56

CUTTER MIXERS PAGE 82

ROBOT COOK[®] **PAGE 102**

BLIXER[®] PAGE 106

KITCHEN BLENDERS PAGE 126

IMMERSION BLENDERS

PAGE 132

JUICE EXTRACTORS PAGE 156

AUTOMATIC SIEVES PAGE 163

PLANETARY MIXER **PAGE 168**

TECHNICAL DATA

(dimensions, weight, etc) PAGE 172

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS





2 MACHINES IN ONE!

Space saving and multifunctional, the Robot-Coupe Food Processor is one of the Chef's greatest allies even in a very small kitchen.

BACK TO SUMMARY



Flat bottom bowl with twin blade assembly to process both large and small quantities. Removable smooth blade included. Coarse and fine serrated blade available as options.

BACK TO SUMMARY

Range of 29 discs available as options.

26 2025 Edition robot @ coupe

CUTTER FUNCTION



* For R 402, R 402 V.V, R 502, R 502 V.V, R 752, R 752 V.V.

PROCESSORS

Juice and Coulis Extraction Function*

- Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- Citrus press function for all types of citrus fruits.



* Available for R 201 XL, R 201 XL Ultra, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.

BACK TO SUMMARY

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS











R-Mix[®] : Reverse rotation blending function



- Single phase
- 1 speed
- Juice and coulis extractor kit*

24 discs available in option

Hourly capacity Maximum quantity Number of Models for vegetable for cutter function covers preparation function R 201 XL /R 201 XL Ultra 1.0 kg 25 kg/hr 1 to 50 R 211 XL Ultra 1.0 kg 40 kg/hr 1 to 50 R 301 / R 301 Ultra 1.5 kg 50 kg/hr 1 to 100 50 kg/hr R 401 / R 402 / R 402 V.V. 1 to 100 2.5 kg R 502 / R 502 V.V. 3.2 kg 150 kg/hr 50 to 300 R 752 / R 752 V.V. 3.8 kg 250 kg/hr 200 to 600

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 201 XL

Motor	Induction
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Cutter	2.9 L composite bowl with handle
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm
Ejection	In bowl
Discs	2 mm slicer, 2 mm grater - Included







Choose your options: Discover our selection of discs and packs on page 42



R 201 XL Ultra

Induction
550 W
Single phase
1500 rpm
✓
2.9 L stainless steel bowl with handle
Stainless steel smooth blade - Included
Half moon hopper
Cylindrical hopper Ø 58 mm
In bowl
2 mm slicer, 2 mm grater - Included

R 201 XL Ultra - 2 discs	Ref.	
R 201 XL Ultra 230V/50/1 - 2 discs	22591D	

	R 201 XL / R 201 XL Ultra	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27138	
Fine serrated blade Designed for herbs & spices	27061	
Additional smooth blade	27055	
Juice and coulis extractor kit	27393	
Citrus press attachment	27392	

BACK TO SUMMARY



R 211 XL Ultra

Motor	Induction
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Cutter	2.9 L stainless steel bowl with handle
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper Cylindrical hopper Ø 58 mm
Ejection	Continuous
Discs	2 mm slicer, 2 mm grater - Included

Choose your model:



Discover our selection of discs and packs on page 42









JUICE AND COULIS EXTRACTOR KIT

- Extraction of fruit and vegetable juices for appetizers, sauces, sorbets, ice cream, smoothies, jam, fruit jellies, etc.
- Coulis function to extract pulp rich juices from cooked or tender fruit and vegetables.
- Citrus press function for all types of citrus fruits.
- Replaces numerous manual tools:



	Ref.
Coulis and juice extractor kit for R 201 XL / R 201 XL Ultra / R 211 XL Ultra	27393
Coulis and juice extractor kit for R 301 / R 301 Ultra / R 401 / R 402 / R 402 V.V.	27396
Citrus fruit attachment R 201 XL / R 201 XL Ultra / R 211 XL Ultra	27392
Citrus fruit attachment for R 301 / R 301 Ultra / R 401 / R 402 / R 402 V.V.	27395

READ

0

SS)

150

64

Surface area 104 sq.cm.



R 301

Motor	Induction
Wattage	650 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Cutter	3.7 L composite bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

Choose your model:	R 301 - 4 discs	Ref.
	R 301 230V/50/1 - 4 discs	2539





robot, coupe 000 R 301 unra

R 301 Ultra

111

£.

Induction
650 W
Single phase
1500 rpm
\checkmark
3.7 L stainless steel bowl
Stainless steel smooth blade - Included
Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm
2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

R 301 Ultra - 4 discs	Ref.	
R 301 Ultra 230V/50/1 - 4 discs	2540	





	R 301	R 301 Ultra
Options	Ref.	Ref.
Coarse serrated blade Designed for grinding & kneading	27288	27288
Fine serrated blade Designed for herbs & spices	27287	27287
Additional smooth blade	27286	27286
Cutter accessory (bowl, lid, blade)	27272	27278
Coulis and Juice extractor kit	27396	27396
Citrus press attachment	27395	27395

BACK TO SUMMARY

FOOD PROCESSORS CUTTER MIXERS & VEGETABLE SLICERS



R 401

Motor	Induction
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included Stainless steel bowl
D-Clean Kit	-
Discs	2 mm slicer, 4 mm slicer, 2 mm grater, 6 mm grater - Included

Choose your model:



Choose your options:

R 401 230V/50/1 - 4 discs	2427	
	(
Discover our selection of discs and		

Ref.

R 401 - 4 discs

packs on page 42



R 402

Induction				
750 W				
Single phase	3 phase			
500 rpm - 1500 rpm	750 rpm - 1500 rpm			
✓				
Metal				
4.5 L stainless steel bowl				
Stainless steel smooth	blade - Included			
Half moon hopper 1.6 L				
Cylindrical hopper Ø 58	8 mm and Ø 39 mm,			
Exactitube pusher - Inc	luded			
Stainless steel bowl				
Included				
2 mm slicer, 3 mm grat	ter.			

2 mm slicer, 3 mm grater, 8 x 8 x 8 mm dicing equipment - Included

R 402 - 4 discs	Ref.
R 402 230V/50/1 - 4 discs	2458W
R 402 400V/50/3 - 4 discs	2438W

	R 401 / R 402	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27346	
Fine serrated blade Designed for herbs & spices	27345	
Additional smooth blade	27344	
Cutter accessory (bowl, lid, blade)	27342	
Coulis and Juice extractor kit	27396	
Citrus press attachment	27395	


R 402 V.V.

Motor	Induction
Wattage	1000 W
Voltage	Single phase
Speed	300 to 3500 rpm for cutter 300 to 1000 rpm for vegetable slicer
Pulse	\checkmark
Motor base	Metal
Cutter	4.5 L stainless steel bowl
Blade	Stainless steel smooth blade - Included
Vegetable slicer	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included Stainless steel bowl
D-Clean Kit	Included
Discs	2 mm slicer, 3 mm grater, 8 x 8 x 8 mm dicing equipment - Included

Choose your model:	R 402 V.V 4 discs	Ref.
	R 402 V.V. 230V/50/1 - 4 discs	2443W





	R 402 V.V.	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27346	
Fine serrated blade Designed for herbs & spices	27345	
Additional smooth blade	27344	
Cutter accessory (bowl, lid, blade)	27342	
Coulis and Juice extractor kit	27396	
Citrus press attachment	27395	









MASHED POTATO MODELS R 502, R 502 V.V., R 752, R 752 V.V.







	Ref.
Mashed potato attachment Ø 3 mm (R 502 and R 502 V.V.) 1 + 2	28207
Mashed potato equipment Ø 3 mm 2	28208
Mashed potato attachment Ø 6 mm (R 502 and R 502 V.V.) 1 + 2	28209
Mashed potato equipment Ø 6 mm 2	28210



R 502

Motor	Induction		
Wattage	900 W		
Voltage	3 phase		
Speed	750 rpm - 1500 rpm		
Pulse	✓		
Motor base	Metal		
Cutter	5.9 L stainless steel bowl		
Scraper arm	✓		
Blade	Stainless steel smooth blade - Included Blade cleaning tool - Included		
Vegetable slicer	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included		
D-Clean Kit	Included		
Discs	Not included		
Choose	R 502 Restaurants	Ref.	
your model:	B 502 400V/50/3	2382	

R 502 Restaurants	Ket.
R 502 400V/50/3	2382
Pack of 8 discs	1933W
R 502 Cultural market	Ref.
R 502 400V/50/3	2382
Pack of 7 discs	1943W
R 502 MultiCut	Ref.
R 502 400V/50/3	2382
Pack of 16 discs	2022W
R 502 without disc	Ref.
R 502 400V/50/3	2382

Discover our selection of discs and packs on page 42



R 502 V.V.

Induction
1 500 W
Single phase
300 to 3500 rpm for cutter
300 to 1000 rpm for vegetable slicer
✓
Metal
5.9 L stainless steel bowl
J

Stainless steel smooth blade - Included Blade cleaning tool - Included Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included

Included

Not included

R 502 V.V. Restaurants	Ref.
R 502 V.V. 230V/50-60/1	2389
Pack of 8 discs	1933W
R 502 V.V. Cultural market	Ref.
R 502 V.V. 230V/50-60/1	2389
Pack of 7 discs	1943W
R 502 V.V. MultiCut	Ref.
R 502 V.V. 230V/50-60/1	2389
Pack of 16 discs	2022W
R 502 V.V. without disc	Ref.
R 502 V.V. 230V/50-60/1	2389

backs on page 42	R 502 all models	
Options	Ref.	
Coarse serrated blade Designed for grinding & kneading	27305	
Fine serrated blade Designed for herbs & spices	27304	
Additional smooth blade	27303	
Cutter accessory (bowl, lid, blade)	27320	
Blade cleaning tool	49258	

Choose your options:



R 752 AND R 752 V.V. FOOD PROCESSORS

- Multi-purpose, space-saving and high-performance thanks to their greater processing capacity
- A timer for greater convenience
- New attachments especially designed for professional needs!

Adjustable hopper to suit all size fruit and vegetables!





Extra large hopper: Up to 15 tomatoes or 1 whole cabbage.



Cylindrical hopper Ø 58 mm : For uniform cutting of long vegetables.



Exactitube pusher: Cylindrical hopper with Ø **39 mm** Exactitube pusher to cut up small fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc.

Lateral ejection: Space saving and convenient to use.

Lid:

Liquids and other ingredients can be adding during processing.



Scraper arm:

Designed to easily scrape the lid and edges of the bowl without stopping the machine.

7.5 L large capacity bowl with ergonomic handle: Saves time by increasing the quantities processed.*

🔊 INNOV	ATION
Extra er	gonomic:

Lever with assisted movement = less effort for the operator.

Timer: Less effort, greater precision and more regular results no matter what the recipe.

Easy Guide

Motor power: Ideal for demanding preparations.



Delivered with all stainless steel smooth blade: 2 detachable adjustable blades.



robot a coupe

R 752 v.v

Range of **more than** 50 discs available as options.

Options for R 752 and R 752 V.V.	Ref.
Coarse serrated blade Designed for grinding & kneading	27308
Fine serrated blade Designed for herbs & spices	27307
Additional stainless steel smooth blade	27306
Cutter accessory (bowl, lid, blade)	27318
Lower coarse serrated blade	49162
Upper coarse serrated blade	49163
Lower fine serrated blade	49164
Upper fine serrated blade	49165
Lower smooth blade	49160
Upper smooth blade	49161
3 mm mashed potato equipment	28208
6 mm mashed potato equipment	28210
Motor shaft brush	49257

*5.9 L bowl for R 502 / R 502 V.V. and 7.5 L for R 752 / R 752 V.V.



R 752

Motor	Induction
Wattage	1 800 W
Voltage	3 phase
Speed	750 rpm - 1500 rpm
Pulse	✓
Motor base	Metal
Cutter	7.5 L stainless steel bowl
Scraper arm	\checkmark
Blade	All stainless steel detachable, adjustable smooth blade - Included
Accessories	Motor shaft brush - Included
Vegetable slicer	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
D-Clean Kit	Included
Discs	Not included

Choose

your model:

Choose your options opposite:

R 752 Restaurants	Ref.
R 752 400V/50/3	2113
Pack of 8 discs	1933W
R 752 Cultural market	Ref.
R 752 400V/50/3	2113
Pack of 7 discs	1943W
R 752 MultiCut	Ref.
R 752 400V/50/3	2113
Pack of 16 discs	2022W
R 752 without disc	Ref.
R 752 400V/50/3	2113

Discover our selection of discs and packs on page 42



R 752 V.V.

Induction
1 500 W
Single phase
300 to 3500 rpm for cutter
300 to 1000 rpm for vegetable slicer
\checkmark

Metal

7.5 L stainless steel bowl

✓

All stainless steel detachable, adjustable smooth blade - Included

Motor shaft brush - Included Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included

Included

Not included

R 752 V.V. Restaurants	Ref.
R 752 V.V. 230V/50-60/1	2080
Pack of 8 discs	1933W
R 752 V.V. Cultural market	Ref.
R 752 V.V. 230V/50-60/1	2080
Pack of 7 discs	1943W
R 752 V.V. MultiCut	Ref.
R 752 V.V. 230V/50-60/1	2080
Pack of 16 discs	2022W
R 752 V.V. without disc	Ref.
R 752 V.V. 230V/50-60/1	2080

It is advisable to use a type A or type B GFCI

DISC COLLECTION



THE WIDEST RANGE OF CUTS

More than 50 discs to choose from to slice, grate, julienne, dice, chop, shred, waffle cut and cut French fries with perfection in next to no time. Save hours of work each day using Robot-Coupe Food Processors and Vegetable Preparation Machines.







EXPERT Series 5-7

	R 201 XL R 201 XL Ultra R 211 XL Ultra R 301 R 301 Ultra R 401 CL 20	R 402 R 402 V.V	CL 40	DISCS	R 502/R 502 V.V. R 752/R 752 V.V. CL 50/CL 50 Ultra CL 52/CL 55 CL 60	CL 50 Gourmet
SLICERS				Almonds 0.6 mm	28166W	28166W
0				0.8 mm	28069W	28069W
A	27051	270	51	1 mm	28062W	28062W
	27555	275	55	2 mm	28063W	28063W
Ch	27086	270	86	3 mm	28064W	28064W
	27566	275	66	4 mm	28004W	28004W
	27087	270	87	5 mm	28065W	28065W
	27786	277	86	6 mm	28196W	28196W
				8 mm	28066W	28066W
and su				10 mm	28067W	28067W
CAN SET				14 mm	28068W	
A A A A				4 mm cooked potatoes	27244W	27244W
				6 mm cooked potatoes	27245W	27245W
RIPPLE CUT	NEW		NEW	2 mm	27068W	27068W
No.	27622	276	22	3 mm	27069W	27069W
	27623	276	23	5 mm	27070W	27070W
GRATERS	27588	27588	27148	1.5 mm	28056W	28056W
~	27577	27577	27149	2 mm	28057W	28057W
Chan	27511	27511	27150	3 mm	28058W	28058W
4				4 mm	28073W	28073W
				5 mm	28059W	28059W
(7,)	27046	270	46	6 mm		
200				7 mm	28016W	28016W
LUC -	27632	276	32	9 mm	28060W	28060W
S	27764	277	64	Parmesan cheese	28061W	28061W
KING -	27191	271	91	Röstis potatoes	27164W	27164W
SA STR				Raw potatoes	27219W	27219W
13 Martin	27078	270	78	0.7 mm horseradish paste		
18.2	27079	270	79	1 mm horseradish paste	28055W	28055W
	27130	271	30	1.3 mm horseradish paste		
JULIENNE				1 x 8 mm (ribbons)	28172W	28172W
				1 x 26 onion/cabbage	28153W	28153W
-	27080	270	80	2 x 4 mm	27072W	27072W
	27081	270	81	2 x 6 mm	27066W	27066W
				2 x 8 mm	27067W	27067W
-				2 x 10 mm (ribbons)	28173W	28173W
	27599	275	99	2 x 2 mm	28051W	28051W
				2.5 x 2.5 mm	28195W	28195W
1 Store Con				3 x 3 mm	28101W	28101W
Carla A	27047	270	47	4 x 4 mm	28052W	28052W
S.M.	27610	276	10	6 x 6 mm	28053W	28053W
-	27048	270	48	8 x 8 mm	28054W	28054W



ESSENTIAL Series 1-4			EXPERT Series 5-7			
	CL 20	R 402 R 402 V.V.	CL 40	DISCS	R 502/R 502 V.V. R 752/R 752 V.V. CL 50 CL 50 Ultra CL 52/CL 55 CL 60	CL 50 Gourmet
DICING				5 x 5 x 5 mm	28110W	28110W
EQUIPMENT		275	13W	8 x 8 x 8 mm	2 8111W	28111W
		275	14W	10 x 10 x 10 mm	28112W	28112W
		275	15W	12 x 12 x 12 mm	28197W	
				14 x 14 x 5 mm (mozzarella)	2 8181W	2 8181W
				14 x 14 x 10 mm	2 8179W	28179W
				14 x 14 x 14 mm	2 8113W	
				20 x 20 x 20 mm	2 8114W	
				25 x 25 x 25 mm	28115W	
				50 x 70 x 25 mm (salad)	28180W	
FRENCH FRIES				6 x 6 mm* NEW	▲ 29230W	
-		▲ 271	16W	8 x 8 mm	▲ 28134W	▲ 28134W
				8 x 16 mm	▲ 28159W	▲ 28159W
		▲ 271	17W	10 x 10 mm	▲ 28135W	▲ 28135W
				10 x 16 mm	▲ 28158W	▲ 28158W
BRUNOISE				2 x 2 x 2 mm		28174W
CL 50 Gourmet				3 x 3 x 3 mm		28175W
Sector Sector				4 x 4 x 4 mm		28176W
WAFFLE CUTS				2 mm		28198W
CL 50 Gourmet				3 mm		28199W
				4 mm		28177W
				6 mm		28178W
PACK OF DISCS	1907	1907	-	Pack of 4 discs		
	1946			Pack of 5 discs		
		1944W	-	Pack of 6 discs		
		-	1945W	Pack of 6 discs		
		1908W	1909W	Pack of 8 discs		
				Restaurants pack	1933W	1933W
				Cultural market pack	1943W	1943W
				MultiCut Pack of 16 discs	2022W	2022W

DICING equipment consisting of: 1 dicing grid + 1 slicing disc.

▲ FRENCH FRIES equipment consisting of: 1 french fries grid + 1 special french fries cutting disc.

*6x6 mm French Fries equipment: - Compatible with the machines :

- CL 50, CL 50 Ultra, R 502, R 502 V.V. With those machines, it must be used in addition to EasyLoader (page 49)
- CL 55 and CL 60 with Automatic Feed Head
- Not compatible with the machines :
- R 752, R 752 V.V., CL 50 Gourmet, CL 52
- CL 55 and CL 60 with Pusher Feed Head

ACCESSORIES



The zero waste solution to clean **EXPERT** dicing grids R 502 to R 752 and CL 50 to CL 60

For dicing grids	Ref.	
8 mm	49305	
10 mm	49309	
12 mm	49313	
14 mm	49314	

- · Fast, easy cleaning
- Zero waste • Save 250 g / grid





D-Clean Kit

Dicing	arid	cleani	na tool
Dioling	ynu	orcann	ig tour



STEEL HOOKS:

DISC RACK:

> R 502 to R 752 V.V.

> CL 50 to CL 60

STAINLESS STEEL

DISC PROTECTOR:

> CL 50 to CL 60

MINI BOWL

> R 502 to R 752 V.V.

and CL 50 to CL 60

> R 201 XL Ultra to R 402 V.V.

> 16 small discs or 8 large discs

WALL MOUNTED DISC HOLDER

Grid holder	
-------------	--

- ESSENTIAL R 402 CL 40
- **EXPERT** R 502 to R 752 CL 50 to CL 60

	Ref.	
D-Clean Kit	29246	

WALL MOUNTED DISC HOLDER WITH 4 STAINLESS



Dicing grid cleaning tool 5 mm, 8 mm, 10 mm, 12 mm and 14 mm

WALL MOUNTED BLADE AND DISC HOLDER:	Ref.
1 BLADE and 8 DISCS	

Ref.

107812

Ref.

27258

Ref.

101230

Ref.

39726

Ref.

39716





Scraper tool









> **EXPERT** range from R 502 to R 752 V.V.

> Not compatible with dicing and French fries equipment.

THE TURNKEY SOLUTION FOR ALL KITCHENS

ESSENTIAL Series 1-4

PACK OF 4 DISCS



Slicers 2 mm & 4 mm 2 mm 2 mm 4 x 4 mm

	Ref.		
R 401, R 402, R 402 V.V. & CL 20	1907		
Well meanstead diese helderer (ast of 0) EREE			

Wall-mounted disc holders (set of 2) FREE



PACK OF 5 DISCS





	Ref.		
CL 20	1946		

Wall-mounted disc holders (set of 2) FREE



PACK OF 6 DISCS

Slicers 2 mm & 4 mm 2 mm 2 mm 4 x 4 mm

Julienne Dicing Equipment 4 x 4 mm 10 x 10 x 10 mm



	Ref.	
R 402 & R 402 V.V.	1944W	
CL 40	1945W	

Wall-mounted disc holders (set of 2) FREE



PACK OF 8 DISCS

Slicers

2 mm & 4 mm

Graters Julienne 2 mm 2 x 2 mm & 2 x 4 mm & 4 x 4 mm



Dicing Equipment

	Ref.	
R 402 & R 402 V.V.	1908W	
CL 40	1909W	

Wall-mounted disc holders (set of 2) FREE



EXPERT Series 5-7



PACK OF 8 DISCS - RESTAURANTS

Graters Julienne 2 mm 3 x 3 mm

Dicing Equipment 10 x 10 x 10 mm

French Fries Equipment 10 x 10 mm

	Ref.	
Restaurants pack	1933W	
Wall-mounted disc holders (set of 2) FREE		

PACK OF 7 DISCS - CULTURAL MARKET





	Ref.	
Cultural market	1943W	
Wall-mounted disc holders (set of 2) FREE		

MULTICUT PACK OF 16 DISCS



Slicers Graters Julienne 1 mm, 2 mm, 4 mm 1.5 mm, 3 mm 2.5 x 2.5 mm, 2 x 10 mm, 4 x 4 mm



Dicing Equipment 5 x 5 x 5 mm, 10 x 10 x 10 mm, 20 x 20 x 20 mm

10 x 10 mm

Fruit and vegetables in all shapes and sizes

With evolving nutritional requirements, chefs in the mass catering sector are looking for solutions to serve more raw fruits and vegetables.

It is a great opportunity for chefs to provide creative & original cuts, in addition to presenting fresh fruit and vegetables in a more attractive way.

Robot Coupe's latest and most innovative launch, the Multicut Pack comes with 16 discs included!

	Ref.	
MultiCut Pack of 16 discs	2022W	

2 wall-mounted disc holders (set of 2) FREE



French Fries Equipment

MASHED POTATO

R 502 - R 502 V.V. - R 752 - R 752 V.V. CL 50 - CL 52 - CL 55 - CL 60

• High output

Can produce up to 10 kg of delicious fresh mashed potato in just 2 minutes.

• Ergonomic

The extra large ergonomic hopper allows for the continuous processing of potatoes with as little handling as possible.

Versatile

In addition to the 50 existing ways of processing fruit and vegetables, you can also make puree.





The mashed potato attachment consists of:

- a feed hopper to handle large quantities of potatoes (for R 502, R 502 V.V., CL 50 and CL 50 Ultra only)
- a paddle
- a special Ø 3 mm or 6 mm grid
- a special puree ejection disc.

		Ref.	
Mashed potato attachment Ø 3 mm (R 502, R 502 V.V., CL 50 and CL 50 Ultra)	0+0	28207	
Mashed potato equipment Ø 3 mm (R 752, R 752 V.V., CL 52, CL 55 and CL 60)	2	28208	
Mashed potato attachment \varnothing 6 mm (R 502, R 502 V.V., CL 50 and CL 50 Ultra)	1+2	28209	
Mashed potato equipment Ø 6 mm (R 752, R 752 V.V., CL 52, CL 55 and CL 60)	2	28210	















High Resistance This mineral-based treatment provides optimum protection of the disc surface.



Freshness is preserved This treatment reduces friction on the disc, ensures perfect cutting and keeps fruit and vegetables fresh.



Easy Cleaning Dishwasher resistant.

These new discs can be identified : new appearance and letter W included in the item code.



The green discs show the actual size

*Except CL 50 Gourmet

2025 Edition robot @ coupe° 51

GRATERS

EXPERT CL 50, CL 50 Ultra, CL 50 Gourmet, CL 52, CL 55, CL 60, R 502, R 502 V.V., R 752 or R 752 V.V.
ESSENTIAL CL 40, R 201, R 201 XL Ultra, R 211 XL Ultra, R 301, R 301 Ultra, R 401, R 402, R 402 V.V.
ESSENTIAL Special CL 40





The green discs show the actual size

BACK TO SUMMARY

*Except CL 40



BACK TO SUMMARY

DISCS







The green discs show the actual size

VEGETABLE PREPARATION MACHINES

TABLE-TOP VEGETABLE PREPARATION MACHINESp.58FLOOR STANDING VEGETABLE PREPARATION MACHINESp.70





Thanks to our range of Vegetable Preparation Machines, you can save hours of preparation in the kitchen: slicing, grating, chopping, shredding, julienne, brunoises, chip cutting, waffle cuts and even purees.

TABLE-TOP VEGETABLE PREPARATION MACHINES



EXACTITUBE PUSHER

The secret of exclusive cuts! For slicing small and delicate ingredients such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



VEG PREP MACHINES

THE WIDEST RANGE OF CUTS

Robot-Coupe vegetable preparation machines have more than 50 discs to process not only fruit and vegetables but also cheese and sausage.





MASHED POTATO FUNCTION CL 50, CL 52, CL 55, CL 60









	Ret.
Mashed potato attachment Ø 3 mm (CL 50 and CL 50 Ultra) 1 + 2	28207
Mashed potato equipment Ø 3 mm 2	28208
Mashed potato attachment Ø 6 mm (CL 50 and CL 50 Ultra) 1 + 2	28209
Mashed potato equipment Ø 6 mm 2	28210

TABLE-TOP VEGETABLE PREPARATION MACHINES



60 2025 Edition robot @ coupe







TABLE-TOP VEGETABLE PREPARATION MACHINES



33

CL 20

Motor	Induction
Wattage	400 W
Voltage	Single phase
Speed	1 500 rpm
Feed hoppers	Half moon hopper Cylindrical hopper Ø 58 mm
Lid and bowl	Composite material
Motor base	Composite material
D-Clean Kit	-
Discs	Not included

Choose your model:

CL 20 - 4 discs	Ref.
CL 20 230V/50/1	22395
Pack of 4 discs	1907
CL 20 - 5 discs	Ref.
CL 20 230V/50/1	22395
Pack of 5 discs	1946
CL 20 without disc	Ref.
CL 20 230V/50/1	22395





CL 40

Induction
500 W
Single phase
500 rpm
Half moon hopper Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Composite lid and stainless steel bowl
Metal
Included
Not included

CL 40 - 6 discs	Ref.
CL 40 230V/50/1	24571
Pack of 6 discs	1945W
CL 40 - 8 discs	Ref.
CL 40 230V/50/1	24571
Pack of 8 discs	1909W
CL 40 without disc	Ref.
CL 40 230V/50/1	24571



CL 50 - 1 V

Motor	Induction	Ir
Wattage	550 W	6
Voltage	Single-phase or 3 phase	3
Speed	375 rpm	3
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included	H C E
Lid and bowl	Metal	N
Motor base	Composite material	C
D-Clean Kit	Included	Ir
Discs	2 mm slicer, 5 mm slicer, 2 mm grater, 10 x 10 mm dicing equipment - Included	2 1

CL 50 - 2 V

Inductio	n
600 W	
3 phase	·
375 rpm	1 - 750 rpm
Cylindrid	on hopper 2.2 L cal hopper Ø 58 mm and Ø 39 mm, ibe pusher - Included
Metal	
Compos	site material
Included	
	icer, 5 mm slicer, 2 mm grater, mm dicing equipment - Included

VEG PREP MACHINES

Choose





	1 V	2 V
CL 50 - 5 discs	Ref.	Ref.
CL50 Single phase 1V 230V/50/1	1847	
CL50 3 phase 400V/50/3	1840	1841
	1 V	2 V
CL 50 - without disc	Ref.	Ref.
CL50 Single phase 1V 230V/50/1	24442	



Choose your options:

	CL 50 all models
Options	Ref.
Additional Exactitube pusher	49212
Mashed potato attachment 3 mm	28207
Mashed potato attachment 6 mm	28209
Mini bowl	39716
EasyLoader	49323
EasyStacker	49332

TABLE-TOP VEGETABLE PREPARATION MACHINES





CL 50 Ultra - 1V

Motor	Induction	Indu
Wattage	550 W	600
Voltage	Single-phase or 3 phase	3 pł
Speed	375 rpm	375
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included	Half Cyli Exa
Lid and bowl	Metal	Met
Motor base	Stainless steel	Stai
D-Clean Kit	Included	Inclu
Discs	2 mm slicer, 5 mm slicer, 2 mm grater, 10 x 10 mm dicing equipment - Included	2 m 10 x

CL 50 Ultra - 2V

Induction	
600 W	
3 phase	
375 rpm - 7	50 rpm
	opper 2.2 L opper Ø 58 mm and Ø 39 mm, ousher - Included
Metal	
Stainless ste	eel
Included	
	, 5 mm slicer, 2 mm grater,

10 x 10 mm dicing equipment - Included

Choose





	1 V	2 V	
CL 50 Ultra - 5 discs	Ref.	Ref.	
CL50 Ultra Single phase 1V 230V/50/1	1849	-	-
CL50 Ultra 3 phase 400V/50/3	1843	1844	
	1 V	2 V	
CL 50 - without disc	1 V Ref.	2 V Ref.	
	1 V Ref. 24470	2 V Ref.	-

Discover our selection of discs and packs on page 42



Choose your options:

	CL 50 Ultra all models
Options	Ref.
Additional Exactitube pusher	49212
Mashed potato attachment 3 mm	28207
Mashed potato attachment 6 mm	28209
Mini bowl	39716
EasyLoader	49323
EasyStacker	49332



CL 50 Ultra Pizza

Motor	Induction		
Wattage	550 W		
Voltage	Single phase		
Speed	375 rpm		
Feed hoppers	Half moon hopper 2.2 L Cylindrical hopper Ø 58 mm and 9 Exactitube pusher - Included	ð 39 mm	١,
Lid and bowl	Metal		
Motor base	Stainless steel		
D-Clean Kit	Included		
Mini Bowl	Included		
Discs	2 mm slicer, 4 mm slicer + 7 mm	grater - I	ncluded
Choose vour model:	CL 50 Ultra Pizza	Ref.	
Jour mouth	CL 50 Ultra Pizza 230 V/50/1 - 3 discs	2028W	

	CL 50 Ultra Pizz	a
Options	Ref.	
Dicing equipment 10x10x10mm for bruschetta	28112W	
Dicing equipment 14x14x5mm for fresh mozzarella	28181W	
Parmesan disc	28061W	







CL 50 GOURMET

Choosing excellence



Exceptional cutting quality...



3 brunoise discs 2 mm - 3 mm - 4 mm





	Brunoise	
Options	Ref.	
Brunoise 2 x 2 x 2 mm	28174W	
Brunoise 3 x 3 x 3 mm	28175W	
Brunoise 4 x 4 x 4 mm	28176W	

CL 50 Gourmet



Motor	Induction		
Wattage	550 W		
Voltage	Single phase		
Speed	375 rpm		
Feed hoppers	Half moon hopper 1.6 L Cylindrical hopper Ø 58 mm and Ø 68 mm		
Lid and bowl	Metal		
Motor base	Stainless steel		
D-Clean Kit	Included		
Mini Bowl	Included		
Discs	2 discs for brunoise or waffle cut to be selected from the list below		
Choose	CL 50 Gourmet Ref.		
your model:	CL 50 Gourmet 230V/50/1 24555W		

packs on page 42



... for brunoise and waffle-cuts!



4 waffle cut discs 2 mm - 3 mm - 4 mm - 6 mm





	Waff	le cut
Options	Ref.	
Waffle cut 2 mm	28198W	
Waffle cut 3 mm	28199W	
Waffle cut 4 mm	28177W	
Waffle cut 6 mm	28178W	

PARSLEY KIT

Large quantities of tabouli in the blink of an eye!



PARSLEY KIT 2 inserts





1 mm parsley including:

one 1-mm slicer and two inserts for guiding parsley while it is being chopped

	Ref.	
1 mm parsley kit	28194W	

CL 52 Prevents MSD Designed to cut up large amounts of vegetables in no Takes away the painfulness of work time at all. **M** INNOVATION **HIGH PRECISION EXTRA ERGONOMIC Cylindrical hopper** Lever with assisted movement - Ø 58 mm uniform cutting of long ingredients. = less effort for the operator - Ø 39 mm to cut up small fruit and + increase throughput. vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries, grapes, etc. with the Exactitube pusher. EXTRA LARGE The very wide opening of the hopper robot o coupe is designed to take up to 15 tomatoes INDUCTION at a time. MOTOR 0 0 CL 52 LATERAL EJECTION Space saving and less strain. Easy Guide Special cabbage tool for EXTRA POWERFUL better ejection. Stainless steel motor base for easy maintenance. 750 W ultra-powerful silent commercial grade motor.

Requires less effort







CL 52 - 1V

Motor	Induction
Wattage	750 W
Voltage	Single-phase
Speed	375 rpm
Feed hoppers	Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Lid and bowl	Metal
Motor base	Stainless steel
Accessories	Motor shaft brush - Included
D-Clean Kit	Included
Discs	Not included

Choose your model:



Choose

your options:

CL 52 - 1V Restaurants	Ref.
CL 52 - 1V 230V/50/1	24492
Pack of 8 discs	1933W
CL 52 - 1V Cultural market	Ref.
CL 52 - 1V 230V/50/1	24492
Pack of 7 discs	1943W
CL 52 - 1V MultiCut	Ref.
CL 52 - 1V 230V/50/1	24492
Pack of 16 discs	2022W
CL 52 - 1V without disc	Ref.
CL 52 - 1V 230V/50/1	24492

packs on page 42



CL 52 - 2V

Induction
900 W
3 phase
375 rpm - 750 rpm
Full moon hopper 4.4 L Cylindrical hopper Ø 58 mm and Ø 39 mm, Exactitube pusher - Included
Metal
Stainless steel
Motor shaft brush - Included
Included
Not included

CL 52 - 2V Restaurants	Ref.
CL 52 - 2V 400V/50/3	24501
Pack of 8 discs	1933W
CL 52 - 2V Cultural market	Ref.
CL 52 - 2V 400V/50/3	24501
Pack of 7 discs	1943W
CL 52 - 2V MultiCut	Ref.
CL 52 - 2V 400V/50/3	24501
Pack of 16 discs	2022W
CL 52 - 2V without disc	Ref.
CL 52 - 2V 400V/50/3	24501

	CL 52 all models
Options	Ref.
Additional Exactitube pusher	49221
3 mm mashed potato equipment	28208
6 mm mashed potato equipment	28210
Motor shaft brush	49257

FLOOR STANDING VEGETABLE PREPARATION MACHINES

Especially designed for the preparation of large quantities of vegetables.



CL 55 **2-tube feed head** Straight and slanted tubes



CL 55 **pusher feed-head** (Surface area 227 sq.cm.) with built-in tube

CL 55 **4-tube feed head** 2 Ø 50 mm tubes / 2 Ø 70 mm tubes
THE WIDEST RANGE OF CUTS

Efficient, heavy duty, easy to use and clean, Robot-Coupe vegetable preparation workstations are designed for institutions, central kitchens, caterers and the agri-food industry.



FLOOR STANDING VEGETABLE PREPARATION MACHINES





600 kg



VEG PREP MACHINES

FLOOR STANDING VEGETABLE PREPARATION MACHINES



CL 55 Pusher Feed-Head

Motor	Induction			
Wattage	1100 W	1100 W		
Voltage	Single phase	3 phase		
Speed	375 rpm	375 rpm - 7	50 rpm	
Feed-Heads	Full moon pusher fee Cylindrical hoppers & Exactitube pusher - I	0 58 mm and 9	Ø 39 m	m,
Lid and bowl	Metal			
Motor base	Stainless steel			
Mobile stand	Stainless steel Equipped with 2 whe	els and brake		
Accessories	Motor shaft brush - Ir	ncluded		
D-Clean Kit	Included			
Discs	Not included			
Choose	CL 55 Pusher Fee	ed-Head	Ref.	
your model:	CL 55 Pusher Feed-Head	I 230V/50/1	2252	
	CL 55 Pusher Feed-Head	I 400V/50/3	2214	



CL 55 2 Feed-Heads

Induction			
1100 W	1100 W		
Single phase	3 phase		
375 rpm	375 rpm - 75	0 rpm	
Stainless steel autom Full moon pusher fee Cylindrical hoppers & Exactitube pusher - I	ed head 4.4 L Ø 58 mm and Ø		m,
Metal			
Stainless steel			
Stainless steel Equipped with 2 whe	els and brake		
Motor shaft brush - I	ncluded		
Included			
Not included			
CL 55 2 Feed-	Heads	Ref.	
CL 55 2 Feed-Heads 23	0V/50/1	2073	

2211

CL 55 2 Feed-Heads 400V/50/3

CL 55 ACCESSORIES



Automatic feed-head Ref. 28170 -



4-tubes feed-head 2 Ø 50 mm tubes 2 Ø 70 mm tubes **Ref.** 28161 -



Potato ricer Ref. 28208 Ø 3 mm -Ref. 28210 Ø 6 mm -





3-height adjustable trolley GN1x1 Delivered without pan Ref. 49128 -



Pusher feed-head with built-in tube (surface area 227 sq.cm.) Ref. 39673 -



Straight and bias tubes Ref. 28155 -



Exactitube pusher CL 52 - CL 55 - CL 60 Ref. 49221 -



Mobile storage for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132 -









A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!

Automatic feed-head

For all bulky vegetables (tomatoes, onions, potatoes, etc.).



Pusher feed-head

Especially designed for bulky vegetables such as cabbage and celery.



MultiCut Pack

16 discs included.





4 wall mounted disc holders for 16 discs

Exactitube pusher

For slicing small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes.



3 mm mashed potato equipment To easily produce large quantities of mashed potatoes.



Motor shaft brush



GN1x1 adjustable trolley

To transport, load and store accessories 2 GN1x1 pans provided.



Production mode

FLOOR STANDING VEGETABLE PREPARATION MACHINES





CL 60 Pusher Feed-HeadCL 60 2 Feed-HeadsCL 60 V.V. Pusher Feed-HeadCL 60 V.V. 2 Feed-Heads

Motor	Induction	
Wattage	1500 W	
Voltage	Single phase	3 phase
Speed	100 to 1000 rpm	375 rpm - 750 rpm
Feed-Heads	Full moon pusher fee Cylindrical hopper Ø Exactitube pusher - I	58 mm and Ø 39 mm,
	••••	
Bowl	Stainless steel	
Bowl Motor base	Stainless steel Stainless steel	
	Stainless steel 1 adjustable foot for 2 wheels	all floor types ainer for cutting attachments
Motor base	Stainless steel 1 adjustable foot for 2 wheels	ainer for cutting attachments
Motor base Equipped with	Stainless steel 1 adjustable foot for 2 wheels 1 stainless steel conta	ainer for cutting attachments

Choose your model:



CL 60 Pusher Feed-Head	Ref.	
CL 60 Pusher Feed-Head 400V/50/3	2319F	
CL 60 V.V. Pusher Feed-Head 230V/50-60/1	2323F	

It is advisable to use a type A or type B GFCI Ļ



Induction	
1500 W	
Single phase	3 phase
100 to 1000 rpm	375 rpm - 750 rpm
Stainless steel autom Full moon pusher fee Cylindrical hopper Ø Exactitube pusher - I	d-head 4.9 L 58 mm and Ø 39 mm,
Stainless steel	
Stainless steel	
1 adjustable foot for a 2 wheels	
•••••••••••••••••••••••••••••••••••••••	ainer for cutting attachments
Motor shaft brush - I	nciuaea
Included	
Not included	

CL 60 2 Feed-Heads	Ref.
CL 60 2 Feed-Heads 400V/50/3	2325F
CL 60 V.V. 2 Feed-Heads 230V/50-60/1	2329F

It is advisable to use a type A or type B GFCI

CL 60 ACCESSORIES



Automatic feed-head With feeding tray Ref. 49681 -



4 tubes feed-head 2 Ø 50 mm tubes 2 Ø 70 mm tubes Ref. 49682 -



Potato ricer Ref. 28208 Ø 3 mm -Ref. 28210 Ø 6 mm -







Ergo mobile trolley Supplied without pan. Designed to take 3 GN1x1 gastronorm pans Ref. 49066 -



Pusher feed-head Ref. 49680 -



Straight and biais tubes Ref. 28157 -



Exactitube pusher CL 52 - CL 55 - CL 60 Ref. 49221 -



Mobile storage for 16 discs, 8 attachments and 3 feed heads, delivered with 1 GN1x1 pan (attachments not included) Ref. 49132 -







CL 60 Workstation



STORAGE TROLLEY



Adjustable stand so it can be adapted to different floor heights.

CL 60 Workstation

robot,"coupe

Motor	Induction	
Wattage	1500 W	
Voltage	Single phase	3 phase
Speed	100 to 1000 rpm	375 rpm - 750 rpm
Feed heads	Stainless steel automatic Full moon pusher feed he Cylindrical hopper Ø 58 r Exactitube pusher - Inclu 4 tubes: 2 Ø 50mm tubes	ead 4.9 L mm and Ø 39 mm, <mark>ded</mark>
Lid and bowl	Metal	
Motor base	Stainless steel	
Equipped with	1 adjustable foot for all fl 2 wheels 1 stainless stee attachments.	51
Accessories	Ergo mobile trolley with 3 gastronorm pans - Include Wall disc holder with 1 G gastronorm pan - Include 3 mm mashed potato equ Motor shaft brush - Include	ed N1x1 d uipment - Included
D-Clean Kit	Included	
Discs	MultiCut pack of 16 discs	s - Included

NEW

READL

STEEL

All stainless steel solution: Easy Cleaning dishwasher resistant

1800 kg o

an hou

D-Clean Kit



CL 60 Workstation	Ref.	
CL 60 Workstation 400V/50/3	2300F	
CL 60 V.V. Workstation 230V/50-60/1	2301F	
It is advisable to use a type A or type B	GFCI	

80 2025 Edition *robot of coupe*°

BACK TO SUMMARY

A COMPLETE COLLECTION OF ATTACHMENTS INCLUDED!



Exactitube pusher

For cutting up small sized fruit and vegetables such as chillis, gherkins, dry sausage, asparagus, spring onions, bananas, strawberries and grapes. **3 mm mashed potato equipment** To easily produce large quantities of mashed potatoes.

ĨÍ



Motor shaft brush







Wall disc holder

To store and transport all the attachments! Tray for 16 discs and 8 attachments. GN1X1 pan for kitchen utensils.



Ergo Mobile Trolley

To transport, load and store accessories. 3 GN1x1 gastronorm pans provided.



VEG PREP MACHINES

CUTTERS MIXERSTABLE TOP CUTTER MIXERSFLOOR STANDING VERTICAL CUTTER MIXERSp.84p.94



THE MUST FOR PASTRY AND KITCHEN CHEFS!

With its bowl-base twin-blade assembly - a Robot-Coupe exclusivity - it is the Chef's ideal assistant. Whether you need small or large quantitites, all your preparations can be made by just pressing a button: sauces, ground meat and fish, chopped onions, herbs and spices, ground nuts and chocolate, praline, kneading, etc.

TABLE TOP CUTTER MIXERS







· TIMER

Less effort, greater precision and more regular results no matter what the recipe.



R-MIX FUNCTION R-Mix®

On R 5 V.V., R 7 V.V., R 8 V.V., R 10 V.V.

• To blend delicate ingredients without chopping.

• The **R-Mix**[®] function is designed for reverse rotation blending at **variable speeds from 60 to 500 rpm** to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.



TABLE-TOP CUTTER MIXERS



*Maximum quantities processed at a time



R-Mix®: Reverse rotation blending function

PERFORMANCE RATES

	Maximum capacity				Number	
Models	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 2	0,8 kg	1 kg	0,5 kg	0,3 kg	1 to 50	
R 3	1 kg	1,5 kg	1 kg	0,5 kg	1 to 50	
R 3-3000	1 kg	1,5 kg	-	0,5 kg	1 to 50	
R 4 - 1V / R 4 - 2V / R 4 V.V.	1,5 kg	2,5 kg	1,5 kg	0,7 kg	50 to 100	1 to 4
R 5 - 1V / R 5 - 2V / R 5 V.V.	2,2 kg	3,2 kg	2,2 kg	1,1 kg	50 to 200	minutes
R 7 V.V.	2,7 kg	3,8 kg	2,7 kg	1,7 kg	100 to 200	
R 8 / R 8 V.V.	3 kg	5 kg	4 kg	2 kg	200 to 300	
R 10 / R 10 V.V.	4 kg	6 kg	5 kg	3 kg	200 to 300	

*Amount of raised dough with 60% hydration

Find all our floor standing models on page 96

TABLE-TOP CUTTER MIXERS



R 2

Motor	Induction
Wattage	550 W
Voltage	Single phase
Speed	1500 rpm
Pulse	\checkmark
Bowl	2.9 L stainless steel

R 2

R 2 230V/50/1

Ref.

22107D



R 3

Induction
650 W
Single phase
1500 rpm
\checkmark
3.7 L stainless steel
Stainless steel smooth blade Included

robot (* coupe* (* R 3 3004) a,rL,

R 3 - 3000

R 3 - 3000

R 3-3000 230V/50/1 22389

Ref.

Induction	l			
650 W				
Single ph	ase			
3000 rpm	1			
✓				
3.7 L stai	nless s	steel		
Stainless Included	steel s	smooth	n blade	

Choose your model:



Choose

	R	2	R 3 all	models
Options	Ref.		Ref.	

Ref.

22383

R 3

R 3 230V/50/1



Options	Ref.	Ref.	
Coarse serrated blade Especially for grinding & kneading	27138	27288	
Fine serrated blade Especially for herbs & spices	27061	27287	
Additional smooth blade	27055	27286	
Wall blade holder	107810	107810	





Induction 900 W 3 phase

R 4 - 1V

Motor	Induction
Wattage	700 W
Voltage	Single phase
Speed	1500 rpm
Pulse	✓
Motor base	Metal
Bowl	4.5 L stainless steel
Blade	Stainless steel smooth blade Included



Stainless steel smooth blade Included



R 4 V.V.

Induction
1000 W
Single phase
300 to 3500 rpm
✓ ✓
Metal
4.5 L stainless steel
Stainless steel smooth blade Included

Choose your model

lel:	R 4 - 1V
101.	R 4 - 1V 230V/50/1
-	

R 4 - 2V	Ref.
R 4 - 2V 400V/50/3	22437

R 4 V.V.	Ref.	
R 4 V.V. 230V/50-60/1	22412	



Choose your options:

	R 4 all models	
Options	Ref.	
Coarse serrated blade Especially for grinding & kneading	27346	
Fine serrated blade Especially for herbs & spices	27345	
Additional smooth blade	27344	
Wall blade holder	107810	







Ref.

22434

TABLE-TOP CUTTER MIXERS



R 5 - 1V

Motor	Induction
Wattage	750 W
Voltage	Single phase
Speed	1500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	5.9 L stainless steel
Blade	Stainless steel smooth blade Included Blade cleaning tool - Included
R-Mix [®]	-



R 5 - 2V

Induction	
1 500 W	
3 phase	
1500 rpm - 3000 rpm	
✓	
√	
Metal	
5.9 L stainless steel	
Stainless steel smooth blade Included	
Blade cleaning tool - Included	
-	

Blade cleaning tool - Included 1

Stainless steel smooth blade

5.9 L stainless steel

robot coupe

0 10

R5 v.v.

R 5 V.V.

Induction 1 500 W Single phase 300 to 3500 rpm

 \checkmark 1 Metal

Included

Choose your model:

Ref.	
24609M	

R 5 - 2V	Ref.	
R 5 - 2V 400V/50/3	24614M	

R 5 V.V.	Ref.
R 5 V.V. 230V/50-60/	1 24623M

R 5 all models

Choose your options:	Options
your options.	Coarse serrated blade Especially for grinding & kneading
	Fine serrated blade Especially for herbs & spices
(En	Additional smooth blade

Options	Ref.	
Coarse serrated blade Especially for grinding & kneading	27305	
Fine serrated blade Especially for herbs & spices	27304	
Additional smooth blade	27303	
Scraper arm	49552	
Blade cleaning tool	49258	



R 7 V.V.

Motor	Induction
Wattage	1 500 W
Voltage	Single phase
Speed	300 to 3500 rpm
Timer	✓
Pulse	✓
Motor base	Metal
Bowl	7.5 L stainless steel
Blade	All stainless steel detachable, adjustable smooth blade assembly - Included
R-Mix [®]	✓

R-Mix[®]

Choose your model:



R 7 V.V.	Ref.
R 7 V.V. 230/50-60/1	24711M
It is advisable to use a type A	or type B GFCI

	R 7 V.V.	
Options	Ref.	
Stainless steel coarse serrated blade Especially for grinding & kneading	27308	
Stainless steel fine serrated blade Especially for herbs & spices	27307	
Additional stainless steel smooth blade	27306	
Lower coarse serrated blade	49162	
Upper coarse serrated blade	49163	
Lower fine serrated blade	49164	
Upper fine serrated blade	49165	
Lower smooth blade	49160	
Upper smooth blade	49161	
Scraper arm	49552	







TABLE-TOP CUTTER MIXERS



R 8

-

Induction
2200 W
3 phase
1500 rpm - 3000 rpm
\checkmark
8 L stainless steel
All stainless steel detachable, adjustable 2 smooth blade assembly - Included

R 8 V.V.

Induction
2200 W
Single phase
300 to 3500 rpm
\checkmark
8 L stainless steel
All stainless steel detachable, adjustable
2 smooth blade assembly - Included
\checkmark

R-Mix®

Choose your model:



Choose your options:

R	8	Ref.	
R 8 400V/50/3		21291	

R 8 V.V.	Ref.
R 8 V.V. 220-240V/50-60/1	21285
R o V.V. 220-240V/30-60/1	21200

It is advisable to use a type A or type B GFCI

	R 8 all models	
Options	Ref.	
Stainless steel coarse serrated 2-blade assembly Especially for grinding & kneading	27383	
Stainless steel fine serrated 2-blade assembly Especially for herbs & spices	27385	
Additional stainless steel 2 smooth blade assembly	27381	
Coarse serrated blade	59281	
Fine serrated blade	59282	
Smooth blade	59280	



Optional additional mini bowl	Ref.	
3.5 litre stainless steel bowl R8 stainless steel smooth blade	27374	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	



CUTTER MIXERS



R 10

Motor	Induction
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
Bowl	11.5 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-

R 10 V.V.

Induction	
2600 W	
Single phase	
300 to 3500 rpm	
\checkmark	
11.5 L stainless steel	
All stainless steel detachable, adjustable	
3 smooth blade assembly - Included	
1	

R-Mix®

Choose your model:	

R 10	Ref.	R 10 V.V.	Ref.
R 10 400V/50/3	21391	R 10 V.V. 220-240V/50-60/1	21385
	· _ ·	It is advisable to use a type A o	type B GFCI

|--|

		R 10 all models
ose options:	Options	Ref.
uptions.	Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	27384
2	Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	27386
6	Additional stainless steel 3 smooth blade assembly	27382
	Coarse serrated blade	59281
	Fine serrated blade	59282
	Smooth blade	59280



Optional additional mini bowl	Ref.	
4.5 litre stainless steel bowl R 10-R 15 stainless steel smooth blade	27375	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	

BACK TO SUMMARY

FLOOR STANDING VERTICAL CUTTER MIXERS

1145

0

0 ::



Easy Guide

CONTROL PANEL

0 to 15 minute **timer**, **stainless steel flush mounted control buttons** and **pulse** control for greater cutting precision. See through watertight lid that is locked into position in a single movement. **Lid and seal can be removed** simply and quickly.

· LID WIPER

For perfect visibility during operation.



BOWL LOCKING LEVER Ergonomic lever to tilt the bowl at various angles, including horizontally.

INNOVATION

STAINLESS STEEL BOWL-BASE TWIN-BLADE ASSEMBLY

New Robot-Coupe patented blade profile for optimum cutting quality.

STAINLESS STEEL FRAME

All stainless steel with 3 sturdy built-in legs to ensure total stability, minimum space requirements and easy cleaning.



WHEELS INCLUDED

3 retractable wheels for easy moving and cleaning.

STAINLESS STEEL BOWL Tiltable, removable bowl to make it easy to empty.

3 BLADES FOR BEST RESULTS



B INNOVATION R-MIX FUNCTION

On R 15 V.V., R 20 V.V., R 30 V.V., R 45 V.V.

• To blend delicate ingredients without chopping.

• The **R-Mix**[®] function is designed for reverse rotation blending at **variable speeds from 60 to 500 rpm** to incorporate whole pieces of meat, crayfish tails, brunoises and diced vegetables to pâtés and terrines, whole raisins to buns, etc.



FLOOR STANDING VERTICAL CUTTER MIXERS



Find all our table-top models on page 86

*Quantities processed at the same time

600 1200 4 to 17 kg	6 to 27 kg	1200+ 6 to 36 kg
VA	RIABLE SPEED from 300 to 3500 r	pm
R 30 V.V.	R 45 V.V.	
28 L • 3 phase • R-Mix*	45 L • 3 phase • R-Mix*	
	2 SPEEDS 1500 and 3000 rpm	
R 30	R 45	R 60
B L B L • 3 phase	to be the second s	Image: Content of the second secon

R-Mix[®]: Reverse rotation blending function

PERFORMANCE RATES

		Maximu	m capacity		Number	
Models	Coarse chopping (up to)	Emulsions (up to)	Pastry/dough* (up to)	Grinding (up to)	of covers	Time
R 15 / R 15 V.V.	6 kg	9 kg	7.0 kg	7.0 kg	300 to 600	
R 20 / R 20 V.V.	8 kg	12 kg	10.0 kg	10.0 kg	300 to 600	
R 23	10 kg	14 kg	11.5 kg	11.5 kg	600 to 1200	1 to 4
R 30 / R 30 V.V.	12 kg	17 kg	14.0 kg	14.0 kg	600 to 1200	minutes
R 45 / R 45 V.V.	18 kg	27 kg	22.5 kg	22.5 kg	1200+	
R 60	25 kg	36 kg	30.0 kg	30.0 kg	1200+	

*Amount of raised dough with 60% hydration

BACK TO SUMMARY

CUTTER MIXERS

FLOOR STANDING VERTICAL CUTTER MIXERS



R 15

Motor	Induction
Wattage	3000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	15 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
R-Mix [®]	-





Induction
3000 W
3 phase
300 to 3500 rpm
✓
15 L stainless steel
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
✓

R-Mix®

Choose your model:

Choose your options:

R 15
R 15 400V/50/3

R 15 V.V.	Ref.
R 15 V.V. 380-480V/50-60/3	51487
It is advisable to use a type A or type B G	FCI

	R 15 all models	
Options	Ref.	
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57098	
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57099	
Additional stainless steel smooth 3 blade assembly	57097	
Coarse serrated blade	59393	
Fine serrated blade	59359	
Smooth blade	59392	



Optional additional mini bowl	Ref.	
4.5 litre stainless steel bowl R 10-R 15 stainless steel smooth blade	27375	
Stainless steel coarse serrated blade	27107	
Additional stainless steel smooth blade	27106	
Coarse serrated blade	101801S	
Smooth blade	101800S	

BACK TO SUMMARY



R 20

Motor	Induction
Wattage	4400 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
Bowl	20 L stainless steel
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
D Mix®	



R 20 V.V.

Induction
4400 W
3 phase
300 to 3500 rpm
\checkmark
20 L stainless steel
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
✓

R-Mix®

Choose your model:

回路论回	
2 🖸 🖸 4 2	
m 30	
CINC AN	

R	20	Ref.
R 20 400V/50/3		51591

R 20 V.V.	Ref.
R 20 V.V. 380-480V/50-60/3	51587
	5.050

It is advisable to use a type A or type B GFCI

Choose your options:

	R 20 all mode	odels	
Options	Ref.		
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57098		
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57099		
Additional stainless steel smooth 3 blade assembly	57097		
Coarse serrated blade	59393		
Fine serrated blade	59359		
Smooth blade	59392		



R 23

Motor	Induction
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
IP85 control panel with digital timer	✓
Bowl	23 L stainless steel
Lid wiper	✓
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included

 \checkmark

-

R 23

R 30

-

R 30

Induction
5400 W
3 phase
1500 rpm - 3000 rpm
✓
\checkmark
28 L stainless steel
\checkmark
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
\checkmark

R 30 V.V.

oupe

Induc	ction		
5400	W		
3 pha	ase		
300 t	o 3500 rj	om	
✓			
√			
28 L	stainless	steel	
✓			
adjus	ainless s stable 3 s mbly - In c	mooth	
✓			
✓			
•			

-

Choose your model:

3 retractable

wheels R-Mix®



R 23 400V/50/3	51331C	

Ref.

R 30	Ref.	
400V/50/3	52331C	

 R 30 V.V.
 Ref.

 R 30 V.V. 400V/50/3
 52338C

 It is advisable to use a type A or type B GFCI

	R 23	R 30 all models
Options	Ref.	Ref.
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57070	57075
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57072	57077
Additional stainless steel smooth 3 blade assembly	57069	57074
Coarse serrated blade	118294S	118286S
Fine serrated blade	118292S	118241S
Smooth blade	118217S	117950S
3-height GN1x1 adjustable trolley	49128	49128



R 45

Motor	Induction
Wattage	10000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	✓
IP85 control panel with digital timer	✓
Bowl	45 L stainless steel
Lid wiper	✓
Blade	All stainless steel detachable, adjustable 3 smooth blade assembly - Included
3 retractable wheels	✓
B 141 @	

R 45

R 45 400V/50/3

R-Mix®

Choose your model:



Choose your options:

-	-
R 45 V.V.	R 60
Induction	Induction

Induction
10000 W
3 phase
300 to 3500 rpm
√

✓

45 L stainless steel

✓

All stainless steel detachable, adjustable 3 smooth blade assembly - Included

\checkmark

 \checkmark

 R 45 V.V.
 Ref.

 R 45 V.V. 400V/50/3
 53338C

 It is advisable to use a type A or type B GFCI

Induction
11000 W
3 phase
1500 rpm - 3000 rpm
✓
\checkmark
60 L stainless steel
\checkmark
All stainless steel detachable, adjustable 3 smooth blade assembly - Included
\checkmark
✓

R 60	Ref.	
R 60 400V/50/3	54331C	

	R 45 all models	
Options	Ref.	Ref.
Stainless steel coarse serrated 3 blade assembly Especially for grinding & kneading	57082	57092
Stainless steel fine serrated 3 blade assembly Especially for herbs & spices	57084	57095
Additional stainless steel smooth 3 blade assembly	57081	57091
Coarse serrated blade	118287S	118290S
Fine serrated blade	118243S	118245S
Smooth blade	117952S	117954S
3-height GN1x1 adjustable trolley	49128	49128

BACK TO SUMMARY

Ref.

53331C

Robot Cook[®] COOKING CUTTER BLENDER





THE 1ST PROFESSIONAL COOKING CUTTER BLENDER!

The Robot Cook[®] emulsifies, grinds, mixes, chops, blends and kneads to perfection. The heating temperature is variable, up to 140°C, and is accurate to the nearest degree. The large capacity bowl means that large quantities can be produced when needed.

Robot Cook[®] THE KITCHEN ASSISTANT FOR CHEFS

Clever: Watertight lid including a no-splash safety function. Anti-vapour lid wiper so you can keep an eye on your preparation.



Ingenious: Special system to hold the blade in place so the bowl can be emptied safely.

Hygienic: All parts in contact with food can be easily removed and are dishwasher safe.



Quiet: In the midst of the general hustle and bustle of the kitchen, Chefs appreciate how quiet it is.



Practical: The opening in the lid means ingredients can be added to the bowl without having to stop the appliance.

Efficient: Bowl scraper arm for ultra-fine, homogeneous preparations.

Functional: Large capacity 3.7 litre bowl for producing professional quantities.

Powerful: The powerful Robot Cook® features on a heavy duty commercial grade induction motor.



INDUCTION MOTOR

High-precision: Variable heating capacity up to 140°C, accurate to the nearest degree.



Low and high heating capacity up to 140°C

Variable speed from 500 to 3500 rpm

- 1 Turbo/pulse function: up to 4500 rpm
- Stop button

Robot Cook® COOKING CUTTER BLENDER





Robot Cook[®]

Motor	Induction
Wattage	1800 W
Voltage	Single phase
Speed	 Variable speed from 100 to 3500 rpm High-speed turbo of 4500 rpm R-Mix blend speed 100 to 500 rpm Intermittent slow speed blade rotation every 2 seconds
Heating temperature	Up to 140°
Pulse	✓
Bowl	3.7 L stainless steel
Scraper arm	✓
Wall mounted blade holder	\checkmark
DI I	F'

Blades

Fine serrated blade for blender function Included Smooth blade for cutter function - Included Blade cleaning tool - Included

Choose your model:	Robot Cook®	Ref.
	Robot Cook 230V/50/1	43001R
And the second second		



110801 00011	non	
Robot Cook 230V/50/1	43001R	

Choo	se
your	options:

Options	Ref.	
Addtional bowl assembly with fine serrated blade	39854	
Additional smooth blade for cutter function	49691	
Additional fine serrated blade for blender function	39691	



CHOP



BLEND



GRIND





• KNEAD








THE SOLUTION FOR TEXTURE MODIFIED FOOD

The Blixer[®], especially designed for the healthcare sector, turns raw products into texture modified foods.

All foods, whether raw or cooked, sweet or savoury, whether entrees or mains, dessert or cheese, can be eaten by everyone at the table.

TABLE-TOP Blixer®

OPENING So that liquids and solid ingredients can be added during use.

LID Equipped with a seal for perfect watertightness.

HIGH BOWL SHAFT High bowl shaft to process large liquid quantities.

INDUCTION MOTOR Very powerful, to withstand intensive use over a long period of time.

Easy Guide

INNOVATION

Blixer® ARM

For a more even

Easy to remove and clean for **perfect hygiene.**

consistency.



Fine serrated blade.

Standard speed of 3000 rpm for **perfectly even consistency.**



INDUCTION MOTOR

WHY HAVE A SECOND PROCESSING BOWL?

robot @ coupe"

V.V.

4.5 L

Blixer[°]4

Better organisation in the kitchen

Reduces waiting time between 2 wash-ups





repar

1 bowl for hot preparations

🚯 HEALTHCARE SECTOR - TEXTURE MODIFIED MEALS...



DUO OF RAW RED CABBAGE AND CELERIAC



SALMON FILET AND CABBAGE



CAMEMBERT AND WHOLEMEAL BREAD



FRESHLY GRATED CARROTS



VEAL BLANQUETTE



RAW GRANNY SMITH APPLE COMPOTE

HOW TO CHOOSE YOUR Blixer®.

Calculate the total weight of the texture-modified portions required.

Number of 200 g portions
Min Max

2> Refer to the indications of the amounts processed per operation given in the product description.

RESTAURANTS - GASTRONOMY

It didn't take long for traditional and Asian food chefs to adopt the Blixer® for all their preparations:

Emulsions, appetizers, tapenade, hummus, taramasalata, pesto, etc.













2025 Edition robot @ coupe 109





PERFORMANCE RATES

	Quan	Number			
Models	Bowl capacity (litres)	Min	Max	of 200 g portions	
Blixer [®] 2	2.9		Single portion mod	el	
Blixer® 3	3.7	0.3	2	2 to 10 😓	
Blixer [®] 4	4.5	0.4	3	2 to 15 🔊	
Blixer [®] 5 - 5 V.V.	5.9	0.5	3.8	3 to 20 😓	
Blixer [®] 7 V.V.	7.5	0.6	4.8	3 to 25 😓	
Blixer® 8 - 8 V.V.	8	1	5.5	5 to 28 😓	
Blixer [®] 10 - 10 V.V.	11.5	2	6.5	10 to 33 ᠵ	

Find all our floor standing models on page 120



Blixer[®] 2

Motor	Induction
Wattage	600 W
Voltage	Single phase
Speed	3000 rpm
Pulse	\checkmark
Motor base	Composite material
Bowl	2.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap Included Blade cleaning tool - Included
Number of 200 g portions	Single portion

Blixer[®] 3

Induction
750 W
Single phase
3000 rpm
\checkmark
Composite material
3.7 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated
blade with removable cap Included
Blade cleaning tool - Included
2-10

Blixer[®] 4 - 1V

	Induction
	900 W
	Single phase
-	3000 rpm
	\checkmark
	Metal
	4.5 L stainless steel
	\checkmark
	\checkmark
	Stainless steel fine serrated
	blade with removable cap
	Blade cleaning tool - Included
-	2-15

Choose your model:



Blixer [®] 2	Ref.	Blixer [®] 3	Ref.	Blixer [®] 4 - 1V	Ref.
Blixer [®] 2 230V/50/1	33232D	Blixer [®] 3 230V/50/1	33198	Blixer [®] 4-1V 230V/50/1	33209
Blixer® 2 230V/50/1 + additional bowl assembly	33232D + 27369	Blixer [®] 3 230V/50/1 + additional bowl assembly	33198 + 27337	Blixer [®] 4-1V 230V/50/1 + additional bowl assembly	33209 + 27338

Choose your options:

В		Blixer® 3
Options	Ref.	Ref.
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27369	27337
Additional fine serrated blade	27370	27447
Coarse serrated blade	27371	27448



Blixer[®] 4 - 2V

Motor Induction 1000 W Wattage Voltage 3 phase 1500 rpm - 3000 rpm Speed Pulse \checkmark Motor base Metal Bowl 4.5 L stainless steel Watertight lid \checkmark Blixer® arm \checkmark Stainless steel fine serrated Blade blade with removable cap Included Blade cleaning tool - Included Number of 200 g 2-15 portions

Choose your model:



Choose your options:

Blixer® 4 - 2V	Ref.	
Blixer [®] 4-2V 400V/50/3	33215	
Blixer [®] 4-2V 400V/50/3 + additional bowl assembly	33215 + 27338	

Blixer [®] 4 V.V.	Ref.	
Blixer [®] 4 V.V. 230V/50/1	33281	
Blixer [®] 4 V.V. 230V/50/1 + additional bowl assembly	33281 + 27338	

Blixer[®] 4 V.V.

Induction

1100 W

 \checkmark

 \checkmark

 \checkmark

Included

2-15

Metal

Single phase

300 to 3500 rpm

4.5 L stainless steel

Stainless steel fine serrated

Blade cleaning tool - Included

blade with removable cap

	Blixer [®] 4 all mod	lels
Options	Ref.	
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27338	
Additional fine serrated blade	27449	
Coarse serrated blade	27450	







Blixer[®] 5 - 2V

Motor	Induction
Wattage	1500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	5.9 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included Blade cleaning tool - Included
Number of 200 a	3-20

robot, coupe 0 0 0. II Blixer 5 x.x. -

Blixer[®] 5 V.V.

Induction
1500 W
Single phase
300 to 3500 rpm
\checkmark
\checkmark
Metal
5.9 L stainless steel
\checkmark
\checkmark
Stainless steel fine serrated blade
with removable cap - Included
Blade cleaning tool - Included
3-20

Number of 200 g 3-20 portions

Choose your model:



Blixer [®] 5 - 2V	Ref.	Blixer [®] 5 V.V.
Blixer® 5-2V 400V/50/3	33259M	Blixer® 5 V.V. 230V/50-60/1
Blixer® 5-2V 400V/50/3 + additional bowl assembly	33259M + 27322	Blixer [®] 5 V.V. 230V/50-60/1 + additional bowl assembly

Ref. 33265M 33265M + 27322

Choose your options:

	Blixer® 5 all models	
Options	Ref.	
Additional bowl assembly: bowl, fine serrated blade, lid and Blixer® arm	27322	
Additional fine serrated blade	27310	
Coarse serrated blade	27311	



Blixer[®] 7 V.V.

Motor	Induction
Wattage	1500 W
Voltage	Single phase
Speed	300 to 3500 rpm
Timer	\checkmark
Pulse	\checkmark
Motor base	Metal
Bowl	7.5 L stainless steel
Watertight lid	\checkmark
Blixer [®] arm	\checkmark
Blade	Stainless steel fine serrated blade with removable cap - Included Blade cleaning tool - Included
Number of 200 g	3-25

portions

Choose your model:



 Blixer® 7 V.V.
 Ref.

 Blixer® 7 V.V. 230V/50-60/1
 33298M

 + additional bowl assembly
 +

.

4

Choose your options:

	Blixer [®] 7 V.V.	
Options	Ref.	
Additional accessory: bowl, fine serrated blade, lid and $Blixer^{\circledast}$ arm	27323	
Additional composite blade assembly with stainless steel fine-serrated blades	27316	
Composite blade assembly with stainless steel coarse-serrated blades	27317	
All stainless steel fine-serrated blade	27313	
All stainless steel coarse-serrated blade for grinding	27314	
Lower fine-serrated blade	49166	
Upper fine-serrated blade	49167	
Lower coarse-serrated blade	49168	
Upper coarse-serrated blade	49169	









BLIXER®

It is advisable to use a type A or type B GFCI



Blixer[®] 8

Motor	Induction
Wattage	2200 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	8 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included
Number of 200 g portions	5-28



Blixer[®] 8 V.V.

Induction
2200 W
Single phase
300 to 3500 rpm
\checkmark
8 L stainless steel
\checkmark
\checkmark
All stainless steel detachable adjustable fine

serrated blade assembly - Included 5-28

Choose your model: Blix

Blixer [®] 8	Ref.
xer [®] 8 400V/50/3	21311

Blixer [®] 8 V.V.	Ref.
Blixer [®] 8 V.V. 230V/50/1	21305
Dixer 0 V.V. 2007/30/1	21303

It is advisable to use a type A or type B GFCI

		Blixer [®] 8 all mod	Blixer [®] 8 all models	
Choose your options:	Options	Ref.		
your options.	Additional stainless steel fine serrated blade	27377		
	Fine serrated blade	59282		



Blixer[®] 10

Motor	Induction
Wattage	2600 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	11.5 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly - Included
Number of 200 g portions	10-33

Blixer[®] 10 V.V.

Induction
2600 W
Single phase
300 to 3500 rpm
\checkmark
11.5 L stainless steel
\checkmark
\checkmark

All stainless steel detachable adjustable fine serrated 3 blade assembly - Included 10-33



FINGER FOODS

MODIFIED TEXTURE

Choose your model:

 Blixer® 10
 Ref.

 Blixer® 10 400V/50/3
 21411

Blixer [®] 10 V.V.	Ref.	
Blixer [®] 10 V.V. 230V/50/1	21405	

bit is advisable to use a type A or type B GFCI

-				ine -
	100		~	
-				_
		-		

Choo	se
your	options:

	Blixer [®] 10 all models	
Options	Ref.	
Additional stainless steel fine serrated blade	27378	
Fine serrated blade	59282	

floor-standing **Blixer**®

O INNOVATION

Blixer® ARM To improve turbulence and thus produce finer-textured preparations.



Easy Guide

CONTROL PANEL 0 to 15 minute timer, stainless steel flush-mounted control buttons and pulse control for greater cutting precision.

BOWL-BASE TWIN-BLADE ------ASSEMBLY A Robot-Coupe[®] exclusivity to obtain a perfectly smooth consistency, even with small quantities.

STAINLESS STEEL FRAME All stainless steel with 3 sturdy built in legs to ensure total stability, minimum space requirements and easy cleaning.



WHEELS INCLUDED 3 retractable wheels for easy moving and cleaning.

· · ·

See through watertight lid requiring a single movement to lock it into position. Lid and seal can be removed simply and quickly.

LID WIPER For perfect visibility during operation.

BOWL LOCKING LEVER Ergonomic lever to tilt the bowl at various angles, including horizontally.

O INNOVATION

STAINLESS STEEL BOWL Tiltable, removable bowl, a Robot-Coupe exclusivity. Capacity: 23, 28, 45 or 60 litres, depending on the model.

B C M HEALTHCARE SECTOR - TEXTURE MODIFIED MEALS



DUO OF RAW RED CABBAGE AND CELERIAC



CUCUMBER AND TOMATO VARIATION



WHITE FISH AND RADISH QUENELLES



STEAK AND POTATO GRATIN



CAMEMBERT AND WHOLEMEAL BREAD



LEMON TART

FLOOR-STANDING Blixer®



	Quantities processed (kg)			Number	
Models	Bowl capacity (litres)	Min	Max	of 200 g portions	
Blixer® 15 - 15 V.V.	15	3	10	15 to 50 😓	
Blixer® 20 - 20 V.V.	20	3	13	15 to 65 🔊	
Blixer [®] 23	23	4	15	20 to 75 📎	
Blixer® 30	28	4	20	20 to 100 📎	
Blixer [®] 45	45	6	30	30 to 150 😓	
Blixer [®] 60	60	6	45	30 to 225 😓	











Blixer[®] 15

Motor	Induction	Induc
Wattage	3000 W	3000
Voltage	3 phase	3 pha
Speed	1500 rpm - 3000 rpm	300 to
Pulse	\checkmark	\checkmark
Bowl	15 L stainless steel	15 L s
See-through watertight lid	\checkmark	\checkmark
Removable Blixer [®] arm	\checkmark	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly	All sta serrat
Number of 200 g portions	15-50	15-50

Blixer[®] 15 V.V.

Induction
3000 W
3 phase
300 to 3500 rpm
\checkmark
15 L stainless steel
\checkmark
\checkmark
All stainless steel detachable adjustable fine

ated 3 blade assembly 0

Choose your model:



Blixer [®] 15	Ref.
Blixer [®] 15 400V/50/3	51511

Ref.
51507

4 It is advisable to use a type A or type B GFCI

			Blixer [®] 15 all models	
Choose your options:	Options	Re	ef.	
your options.	Additional stainless steel fine serrated blade	57	102	
	Fine serrated blade	593	359	





NORMAL TEXTURE



Blixer[®] 20

Motor	Induction
Wattage	4400 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
Bowl	20 L stainless steel
See-through watertight lid	\checkmark
Removable Blixer® arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated 3 blade assembly
Number of 200 g	15-65

Blixer[®] 20 V.V.

Induction
4400 W
3 phase
300 to 3500 rpm
\checkmark
20 L stainless steel
\checkmark
\checkmark

All stainless steel detachable adjustable fine serrated 3 blade assembly 15-65



MODIFIED TEXTURE

Choose your model:

portions



Blixer® 20 Ref. Blixer® 20 400V/50/3 51611

Blixer [®] 20 V.V.	Ref.	
Blixer [®] 20 V.V. 400V/50/3	51607	

It is advisable to use a type A or type B GFCI

	F	INGER F			
3393	83353	6800	000	98939	888
	6		2		
		X		· ·	
and					
		61624		FEE	

Choose your options:

	Blixer [®] 20 all models		
Options	Ref.		
Additional stainless steel fine serrated blade	57102		
Fine serrated blade	59359		

2025 Edition robot @ coupe° 123





Blixer[®] 23

Motor	Induction
Wattage	4500 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	23 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detachable adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	20-75

Blixer[®] 30

Induction
5400 W
3 phase
1500 rpm - 3000 rpm
\checkmark
\checkmark
28 L stainless steel
\checkmark
\checkmark
\checkmark
All stainless steel detachable adjustable fine serrated blade assembly - Included
\checkmark

20-100

Choose your model:	Blixer [®] 23	Ref.	BI	ixer® 30	Ref.	
	Blixer [®] 23 400V/50/3	51341	Blixer [®] 30 400	0V/50/3	52341	

		Blixer [®] 23	Blixer [®] 30
Choose your options:	Options	Ref.	Ref.
	Additional stainless steel fine serrated blade	57071	57076
	Fine serrated blade	118292S	118241S

BACK TO SUMMARY

e E	
¥.	

NORMAL TEXTURE



Blixer[®] 45

-10

oupe

Motor	Induction
Wattage	10000 W
Voltage	3 phase
Speed	1500 rpm - 3000 rpm
Pulse	\checkmark
IP65 control panel with digital timer	\checkmark
Bowl	45 L stainless steel
See-through lid	\checkmark
Lid wiper	\checkmark
Blixer [®] arm	\checkmark
Blade	All stainless steel detacha- ble adjustable fine serrated blade assembly - Included
3 retractable wheels	\checkmark
Number of portions	30-150

Induction
11000 W
3 phase
1500 rpm - 3000 rpm
\checkmark
\checkmark
60 L stainless steel
\checkmark
\checkmark
\checkmark
All stainless steel detacha- ble adjustable fine serrated

Blixer[®] 60

ble adjustable fine serrated blade assembly - Included

30-225

oupe

Choose	
your model:	

Choose your options:

Blixer [®] 45	Ref.	Blixe
Blixer [®] 45 400V/50/3	53341	Blixer® 400V/5

ef.	Blixer [®] 60	Ref.	
341	Blixer [®] 60 400V/50/3	54341	

	Blixer	® 45	Blixer	® 60
Options	Ref.		Ref.	
Additional stainless steel fine serrated blade	57083		57093	
Fine serrated blade	118243S		118245S	





KITCHEN BLENDERS



EXPERTLY BLENDED IN SECONDS

Both powerful and durable, the BL 3 and BL 5 Kitchen Blenders are based on X-Flow technology, for a very fine, very fast result with both small and large quantities. Produces a wide range of sweet and savoury liquid preparations such as veloutés, soups, sauces, coulis, purées, pancake and cake batters.



KITCHEN BLENDERS



) **The quietest** Blender on the market

Sex EXCLUSIVITY

WATERTIGHT LID Includes a no-splash safety function.



MOTOR BASE ······

- Powerful 1 200 W motor.Designed especially to
- Designed especially to reduce the loading height.

Easy Guide





FΝ



HANDLES
Soft Touch
Secondary
Easy-to-handle bowl even when full.

STAINLESS STEEL BOWL

Large capacity: 5 litres. Large quantities can be processed in a single batch.

TIMER

Less effort, greater precision and more regular results no matter what the recipe.



All **stainless steel blade**. Easily dismounted with the special tool provided and can be washed in water



Tight lock of the bowl and motor base designed to reduce vibrations







Maximum turbulence!

BLADE ASSEMBLY

4 large asymmetrical blades → maximises mixing volume

2 BOWL RIBS

specially designed \rightarrow improve ingredient circulation

3 LID

Flow-guides

 \rightarrow push the preparation back to the blades



KITCHEN BLENDERS

KITCHEN BLENDERS





BL 3

Wattage	1 100 W
Voltage	Single phase
Speed	500 to 12 600 rpm
Pulse	\checkmark
R-Crush function	\checkmark
Timer	\checkmark
Bowl	3 L stainless steel
Blade	Stainless steel 4-blade assembly - included
X-Flow Technology	\checkmark

Choose your model:



BL 3	Ref.
BL 3 230V/50/1	47011A

Choose your options:

Options	Ref.	
3 L bowl assembly	28230	



BL 5

Wattage	1 200 W
Voltage	Single phase
Speed	500 to 12 600 rpm
Pulse	\checkmark
R-Crush function	\checkmark
Timer	\checkmark
Bowl	5 L stainless steel
Blade	Stainless steel 4-blade assembly - included
X-Flow Technology	\checkmark

Ch	00	se			
vo	ur	mo	d	e	ŀ

BL 5	Ref.
BL 5 230V/50/1	47001A



Choose your options:

Options	Ref.
5 L bowl assembly	28250











IMMERSION BLENDERS



OPTIMUM RESULTS, NO MATTER THE QUANTITY...

...no matter the receptacle, no matter the intended use, Robot-Coupe Immersion Blenders will meet all your needs!

They can mix, blend, emulsify, whip or knead your preparations in no time!

Their performance in terms of hygiene, ease of use, versatility and durability makes them the best on the market.



IMMERSION BLENDERS

IMMERSION BLENDERS



AFTER SALES SERVICE: DETACHABLE POWER CORD

- The patented "EasyPlug" system means that the power cord can be easily replaced during after-sales servicing.
- Indicator light: quick detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).





The emulsifying disc is available on the Mini and $\text{MicroMix}^{\circledast}$ product lines.

DISCOVER OUR PAN SUPPORTS TO RELIEVE STRAIN

Page 144



IMMERSION BLENDERS





CLEANING



- Quick and easy to clean:
- 1 The stainless steel blade and bell are easy to remove.
- **2** Each machine comes with a disassembling tool.

6









To comply with the HACCP requirement, we advise users to store the bell and blade in a cool room after cleaning.

MICROMIX®

The top choice of chefs. Only a few seconds are needed to make a perfect emulsion!



PERFORMANCE Bell design reduces blending time. Powerful and quiet.

HEAVY DUTY All stainless steel tube, bell, motor housing and tools.

ERGONOMICS

High precision, easy to access variable speed button. Extendable coiled power cord for easier handling. Maximum length 1300 mm. Ideal for use just before serving.



CLEANING

The tube and attachments can be removed for easy cleaning. Practical storage for mixer and attachments.





ONLY A FEW SECONDS ARE NEEDED TO MAKE A PERFECT EMULSION!





MicroMix[®]

Wattage	220 W
Voltage	Single phase
Speed	1500 to 14000 rpm
Blade and shaft	Length 165 mm - all stainless steel
Removable blade	\checkmark
Removable foot	\checkmark
Dimensions	Length 430 mm, Ø 61 mm
Gross weight	1.4 kg
Accessories	Stainless steel Aeromix - Included Wall support - Included





Special Merchandising Pack

to display 6 MicroMix mixers in showrooms.

	Ref.	Sales unit	Packaging unit	
Micromix 230V/50/1	34901	1	1	
Pack of 6 Micromix 230V/50/1	34951	1	6	









MINI PRODUCT RANGE

Minimum size, maximum

performance! For sauces, emulsions and small preparations.

HANDLE DESIGN

for easy grip and $\ensuremath{\text{effortless}}$ use.



Detachable stainless steel blade and shaft for perfect hygiene.





Blade designed for optimum blending.



·VARIABLE SPEED BUTTON

Easy to see and adjust.

STAINLESS STEEL MOTOR Housing

To make the immersion blender last longer.

INNOVATION AEROMIX

Patented emulsifying tool designed to make instant light fluffy **emulsions** that always keep their shape on the plate.



BLADE



AEROMIX For emulsions













Mini MP 160 V.V. Mini MP 190 V.V.

Wattage	240 W
Voltage	Single phase
Speed	2000 to 12500 rpm
Blade, bell and shaft	Length 160 mm - all stainless steel
Removable blade	\checkmark
Removable bell	No
Removable foot	\checkmark
Dimensions	Length 455 mm, Ø 78 mm
Gross weight	2.4 kg
Accessories	Stainless steel Aeromix Included Wall support - Included

270 W
Single phase
2000 to 12500 rpm
Length 190 mm - all stainless steel
\checkmark
\checkmark
\checkmark
Length 485 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix
Included
Wall support - Included

Mini MP 240 V.V.

290 W
Single phase
2000 to 12500 rpm
Length 240 mm - all stainless steel
\checkmark
✓
\checkmark
Length 535 mm, Ø 78 mm
2.5 kg
Stainless steel Aeromix
Included
Wall support - Included

Choose your model:



Mini MP 160 V.V.	Ref.	
Mini MP 160 V.V. 230V/50/1	34741	







Whisk function Mini MP 190 Combi See page 152



Whisk function Mini MP 240 Combi **IMMERSION BLENDERS**



Mixipot[®]

All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.
4-litre Mixipot	103925

CMP COMPACT PRODUCT RANGE

Compact, easy-to-handle, high-performance. For restaurants & cafés



POWERFUL High-Power motor: +15 % for greater efficiency.

COMFORT

Variable speed for greater flexibility when making sophisticated preparations.



ERGONOMICS Light, compact, easy-to-handle appliance.

The lug on the motor base can be used to rest the mixer on the rim of a pan to make it easier to handle and remove some of the strain.

The lug allows to wind the cord to make it easier to store and prevent wear and tear.

AFTER SALES SERVICE: DETACHABLE POWER CORD.

- 1 The new patented "EasyPlug" system means that the power cord can be easily replaced during aftersales servicing.
- Indicator light: rapid detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).




Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm (self regulating system)
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Dimensions	Length 650 mm, Ø 94 mm
Gross weight	3.9 kg
Accessories	Wall support - Included

CMP 250 V.V. CMP 300 V.V.

350 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 300 mm -
all stainless steel
\checkmark
\checkmark
No
Length 660 mm,
Ø 94 mm
3.9 kg
Wall support - Included

CMP 350 V.V. CMP 400 V.V.

400 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 350 mm -
all stainless steel
\checkmark
✓
No
Length 700 mm,
Ø 94 mm
4.1 kg
Wall support - Included

420 W
Single phase
2300 to 9600 rpm
(self regulating system)
Length 400 mm -
all stainless steel
\checkmark
✓
No
Length 763 mm,
Ø 94 mm
4.1 kg
Wall support - Included

Choose your model:









CMP 400 V.V.	Ref.	
CMP 400 V.V. 230V/50/1	34261B	



Whisk function CMP 250 Combi See page 153



Whisk function

CMP 300 Combi See page 153



Mixipot[®]

All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.	
4-litre Mixipot	103925	

IMMERSION BLENDERS

MP/CMP PAN SUPPORTS

Pan supports reduce MSD risks, relieve strain and make it easier to control preparations.

They enable the immersion blender to be tilted effortlessly or left to do the job by itself. Made entirely of stainless steel, they can be removed completely, are easy to clean and practical to use.







2 Adjustable pan supports:

Three pan supports are available as an option. They adapt to the size of the pan:

- pan Ø from 330 mm to 650 mm.
- pan Ø from 500 mm to 1 000 mm.
- pan Ø from 850 mm to 1 300 mm.













Stainless steel pan supports

1 universal stainless steel pan support 🕕	Ref.	
To be attached to the edge of the pan.	27358	
3 adjustable stainless steel pan supports 2	Ref.	
For 330 to 650 mm diameter pans	27363	
For 500 to 1000 mm diameter pans	27364	
For 850 to 1300 mm diameter pans	27365	

MP ULTRA LARGE PRODUCT RANGE

Even better performance and ergonomics!



AFTER SALES SERVICE: DETACHABLE POWER CORD

- **The patented "EasyPlug"** system means that the power cord can be easily replaced during after-sales servicing.
- Indicator light: quick detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).







MP 350 Ultra

Wattage	440 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 740 mm, Ø 125 mm
Gross weight	6.2 kg
Accessories	Wall support - Included

Choose

your model:



MP 350 Ultra	Ref.
MP 350 Ultra 230V/50/1	34801L



440 W
Single phase
1500 to 9000 rpm (self regulating system)
Length 350 mm - all stainless steel
\checkmark
\checkmark
No
\checkmark
Length 740 mm, Ø 125 mm
6.4 kg
Wall support - Included





Whisk function

MP 350 Combi Ultra See page 154

Choose your options:

	MP 350 Ultra / MP 350 Ultra V.V.	
Options	Ref.	
EasyGrip removable handle	27359	

BACK TO SUMMARY





MP 450 Ultra

Wattage	500 W
Voltage	Single phase
Speed	9500 rpm
Blade, bell and shaft	Length 450 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
EasyPlug	\checkmark
Dimensions	Length 840 mm, Ø 125 mm
Gross weight	6.3 kg
Accessories	Wall support - Included

MP 450 Ultra V.V.

Single phase 1500 to 9000 rpm (self regulating system) Length 450 mm - all stainless steel ✓
Length 450 mm - all stainless steel
<u> </u>
✓
No
\checkmark
Length 840 mm, Ø 125 mm
6.5 kg
Wall support - Included

Choose your model:



MP 450 Ultra	Ref.	MP 450 Ultra V.V.
MP 450 Ultra 230V/50/1	34811L	MP 450 V.V. Ultra 230V/50/1
		Whisk function

/hisk function

MP 450 Combi Ultra See page 154

Choose your options:

	MP 450 Ultra / N	IP 450 Ultra V.V.
Options	Ref.	
EasyGrip removable handle	27359	

Ref.

34851L





MP 550 Ultra

Wattage	750 W
Voltage	Single phase
Speed	9000 rpm
Blade, bell and shaft	Length 550 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	No
Second handle	Removable EasyGrip handle
Electronic booster system	No
EasyPlug	\checkmark
Dimensions	Length 940 mm, Ø 125 mm
Gross weight	6.6 kg
Accessories	Wall support - Included

1 24	1
000	

MP 600 Ultra

850 W	1000
Single phase	Singl
9500 rpm	9500
Length 600 mm - all stainless steel	Leng steel
\checkmark	\checkmark
\checkmark	\checkmark
No	No
Removable EasyGrip handle	Integ hand
No	Elect moto
\checkmark	\checkmark
Length 980 mm, Ø 125 mm	Leng
7.4 kg	9.2 k
Wall support - Included	Wall
Wall support - Included	Wa

MP 800 Turbo

1000 W	
Single phase	
9500 rpm	
Length 740 mm - all stainless steel	
\checkmark	
\checkmark	
No	
Integrated stainless steel handle	
Electronic booster system for motor	
\checkmark	
Length 1130 mm, Ø 125 mm	
9.2 kg	
Wall support - Included	

Choose your model:









MP 600 Ultra	Ref.	MP 800 Turbo	Ref.
MP 600 Ultra 230V/50/1	34831LH	MP 800 Turbo 230V/50/1	34891L

Stainless steel pan supports

1 universal stainless steel pan support 🚺	Ref.	
To be attached to the edge of the pan.	27358	
3 adjustable stainless steel pan supports 2	Ref.	
For 330 to 650 mm diameter pans	27363	
For 500 to 1000 mm diameter pans	27364	
For 850 to 1300 mm diameter pans	27365	

SPECIAL RANGE FOR TILTING PANS

Your culinary equipment evolves, so do our Immersion Blenders. New Special MP range for Tilting Pans is pefectly suited for use with tilting bratt pans, from the smallest to the largest.

These new shorter and easier-to-handle Robot-Coupe Immersion Blenders are #THEsolution for even more convenient and comfortable use.





AFTER SALES SERVICE: DETACHABLE POWER CORD

- The patented "EasyPlug" system means that the power cord can be easily replaced during after-sales servicing.
- Indicator light: quick detection of power cord failure. The green light comes on if the cord is undamaged and correctly plugged in on both sides (wall socket and EasyPlug).





CMP 300 V.V.

Wattage	350 W
Voltage	Single phase
Speed	2300 to 9600 rpm (self regulating system)
Blade, bell and shaft	Length 300 mm - all stainless steel
Removable blade	\checkmark
Reinforced bell	No
Removable bell	\checkmark
Removable foot	No
Second handle	No
Electronic booster system	No
EasyPlug	\checkmark
Dimensions	Length 660 mm, Ø 94 mm
Gross weight	3,9 kg
Accessories	Wall support - Included

CMP 300 V.V.

CMP 300 V.V.

230V/50/1

MP 350 Ultra TP

440 W	1000 W
Single phase	Single
9500 rpm	9500 rp
Length 350 mm - all stainless steel	Length steel
\checkmark	\checkmark
\checkmark	\checkmark
\checkmark	\checkmark
No	\checkmark
Removable EasyGrip handle	Integra handle
No	Electro motor
\checkmark	\checkmark
Length 763 mm, Ø 125 mm	Length
8 kg	8,2 kg
Wall support - Included	Wall su

MP 800 Turbo TP

100	00 W 00
Sin	gle phase
950	00 rpm
Ler ste	ngth 350 mm - all stainless el
\checkmark	
\checkmark	
√	
√	
	egrated stainless steel ndle
Ele mo	ctronic booster system for tor
\checkmark	
Ler	ngth 845 mm, Ø 125 mm
8,2	kg
W ₂	II support - Included

Ref.

34791L

Choose your model:



Ref.	MP 350 Ultra TP	Ref.	MP 800 Turbo TP
34231B	MP 350 Ultra TP 230V/50/1	34591L	MP 800 Turbo TP - 230V/50/1

WHICH MACHINE FOR YOUR TILTING PAN?

	Tilting pan depth 150-200 mm	Tilting pan depth 250-300+ mm		
Volume (L)	< 30	50-100	100+	
Motor base	CMP 300 V.V.	MP 350 Ultra TP	MP 800 Turbo TP	

BACK TO SUMMARY

COMBI PRODUCT RANGE

The Robot-Coupe whisk attachment available for Mini MP Combi, CMP Combi, MP Combi Ultra and MP FW mixers is designed to emulsify, mix, shell, beat and knead.

POWERFUL

High-strength motor: +15 % for greater efficiency.

EASY TO OPERATE

Variable speed button easy to use with one hand.

> obot + coupe MP 450 F.W. Ultra

ERGONOMIC

Ergonomic handle for easier grasping.

CONVENIENT

Self regulating speed system for sophisticated preparations.

Salad dressing, mayonnaise, sauces, etc.

EMULSIFY

Pancake batter, tomato pulp, seasoning, etc.

Semolina, rice, wheat, quinoa, etc.



MIX



BEAT



KNEAD/MASH



Mashed potatoes, doughnut dough, batter, etc.

Egg whites, chocolate mousse, whipped cream, etc.





METAL WHISK BOX

HEAVY DUTY Metal gears inside 2 metal housings to stand up to heavy duty use.

robot in coupe CNP 300 Centr

CLEANING

Overmoulded whisks to ensure perfect hygiene.

ERGONOMIC

Fast coupling of whisks to the gearbox and the gearbox to the motor housing for easy assembly and disassembly.



Mini MP 190 Combi

Wattage	270 W
Voltage	Single phase
Speed	2000 to 12500 rpm for mixer function 350 to 1560 rpm for whisk function
Blade, bell and shaft	Length 190 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk box	\checkmark
Detachable whisk	\checkmark
Dimensions	Total length with tube 485 mm with whisk 550 mm, Ø 78 mm
Gross weight	2.7 kg
Accessories	Stainless steel Aeromix - Included Wall support - Included

Mini MP 240 Combi

290 W
Single phase
2000 to 12500 rpm for mixer function 350 to 1560 rpm for whisk function
Length 240 mm - all stainless steel
\checkmark
Total length with tube 535 mm with whisk 550 mm, Ø 78 mm
2.8 kg
Stainless steel Aeromix - Included Wall support - Included

Choose your model:



Choose your options:

Mini MP 190 Combi	Ref.	
Mini MP 190 Combi 230V/50/1	34771	

Mini MP 240 Combi	Ref.	
Mini MP 240 Combi 230V/50/1	34781	

	Mini MP 190 Combi Mini MP 240 Co		240 Combi	
Option	Ref.		Ref.	
Mini MP whisk attachment	27333		27333	



Mixipot[®]

All stainless steel induction suitable recipients, ideal for all your preparations.

Models	Ref.	
4-litre Mixipot	103925	



CMP 250 Combi

Wattage	310 W
Voltage	Single phase
Speed	2300 to 9600 rpm for mixer function, 500 to 1800 rpm for whisk with self regulating speed system
Blade, bell and shaft	Length 250 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark equipped with a 3-level watertightness system
Metal whisk box	\checkmark
Detachable whisk	\checkmark
EasyPlug	\checkmark
Dimensions	Total length with tube 640 mm with whisk 610 mm, Ø 125 mm
Gross weight	5.6 kg
Accessories	Wall support - Included

Choose your model:



Choose your options:

	CMP 250 Combi		CMP 300 Combi	
Options	Ref.		Ref.	
CMP Combi whisk attachment	27248		27248	

27249



Mixer foot

Mixipot[®]

CMP 250 Combi

CMP 250 Combi 230V/50/1

All stainless steel induction suitable recipients, ideal for all your preparations.

Ref.

34301B

Models	Ref.
4-litre Mixipot	103925

27250

CMP 300 Combi

350 W
Single phase
2300 to 9600 rpm for mixer function,
500 to 1800 rpm for whisk with self regulating speed system
Length 300 mm - all stainless steel
<u> </u>
\checkmark equipped with a 3-level watertightness system
\checkmark
\checkmark
\checkmark
Total length with tube 700 mm
with whisk 610 mm, Ø 125 mm
5.7 kg
Wall support - Included

CMP 300 Combi	Ref.
CMP 300 Combi 230V/50/1	34311B



MP 350 Combi Ultra

Wattage	440 W
Voltage	Single phase
Speed	1500 to 9000 rpm for mixer function, 250 to 1500 rpm for whisk function with self regulating speed system
Blade, bell and shaft	Length 350 mm - all stainless steel
Removable blade	\checkmark
Removable bell	\checkmark
Removable foot	\checkmark
Metal whisk kit	\checkmark
Detachable whisk	\checkmark
EasyPlug	\checkmark
Dimensions	Total length with tube 790 mm with whisk: 805 mm, Ø 125 mm
Gross weight	7.9 kg
Accessories	Wall support - Included

MP 450 Combi Ultra

	W gle phase
250	0 to 9000 rpm for mixer function, to 1500 rpm for whisk function with self ulating speed system
Len	gth 450 mm - all stainless steel
\checkmark	
	al length with tube 890 mm 1 whisk 840 mm, Ø 125 mm
8.2	kg
Wa	I support - Included

Choose your model:



MP 350 Combi Ultra	Ref.	
MP 350 Combi Ultra 230V/50/1	34861L	

MP 450 Combi Ultra	Ref.
MP 450 Combi Ultra 230V/50/1	34871L

Choo	se
your	options:

	MP 350 Combi Ultra MP 450 Combi Ultra	
Options	Ref.	Ref.
MP Combi whisk attachment	27210	27210
Mixing attachment	27355	27355
Mixer foot	39354	39354
EasyGrip removable handle	27359	27359

BACK TO SUMMARY









MP 450 FW Ultra

Wattage	500 W
Voltage	Single phase
Speed	250 to 1500 rpm (self regulating system)
Whisk	280 mm long detachable whisk

Metal whisk box ✓ EasyPlug ✓ Dimensions Length 800 mm, Ø 125 mm

8.6 kg

Wall support - Included

Choose your model:

Gross weight

Accessories

MP 450 FW Ultra	Ref.
MP 450 FW Ultra 230V/50/1	34881L

MP 450 XL FW Ultra

500 W

Single phase 150 to 510 rpm (self regulating system) Detachable mixing attachment 690 mm long

√ √

Length 1210 mm, Ø 175 mm

8.6 kg

Wall support - Included

MP 450 XL FW Ultra	Ref.	
MP 450 XL FW Ultra 230V/50/1	34281L	



JUICE EXTRACTORS



ULTRA FRESH FRUIT JUICE IN JUST A FEW SECONDS!

Robot Coupe juice extractors partner professionals in a wide variety of sectors: bars, restaurants, hotels, institutions and supermarkets.

Quick, efficient and heavy duty with a fast ROI, they provide the ideal solution for making large quantities of ultra fresh fruit and vegetable juices.

JUICE EXTRACTORS



BACK TO SUMMARY

*J 80 Buffet and J 100

**J 100 only

OUR USERS



BARS, RESTAURANTS AND HEALTHCARE FACILITIES

Fresh fruit and vegetable juices are a way of adding a touch of freshness to bar and restaurant menus. They are also highly appreciated in hospitals and retirement homes to prevent residents from being dehydrated.



HOTELS, CANTEENS AND CAFETERIAS

Quiet and easy to operate, Robot-Coupe juice extractors provide self-service in hotel breakfast bars and school canteens.



JUICE BARS AND SUPERMARKETS

Especially designed for intensive use, our juice extractor range is perfect for the production of large quantities.



Rapid return on investment:

- On average the sale of 500 glasses of juice will write off the cost of a J 100 juice extractor.
- Most efficient juicer on the market for the most frequently used ingredients.



J 80

Motor	Induction
Wattage	700 W
Voltage	Single phase
Flow rate	120 L/hr
Bowl	Stainless steel
Chute	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel
Useful height under spout	155 mm
TYPE OF SERVICE: Glass	\checkmark
Jug	\checkmark
Blender bowl	-
No-splash spout	✓ - 1 size
Sloping base	-
Drip catcher tray	\checkmark
Automatic pulp ejection	\checkmark
Translucent pulp collector	6.5 L
Continuous pulp ejection chute	-

J 80

J 80 230V/50/1

Ref.

56001B

J 80 Buffet

Induction
700 W
Single phase
120 L/hr
Stainless steel
✓ - Automatic Ø 79 mm
Stainless steel
Stainless steel
177 mm
\checkmark
\checkmark
-
√ - 2 sizes
\checkmark
✓ - Large capacity
\checkmark
6.5 L
-

J 80 Buffet

J 80 Buffet 230V/50/1

Ref.

56201B

Choose your model:



Choose your options:

	J 80 all models	
Accessories	Ref.	
Base + XL drip tray + long spout kit	49230	



J 100

Motor	Induction
Wattage	1000 W
Voltage	Single phase
Flow rate	160 L/hr
Bowl	Stainless steel
Chute	✓ - Automatic Ø 79 mm
Filter	Stainless steel
Grating disc	Stainless steel - For intensive use
Useful height under spout	251 mm
TYPE OF SERVICE: Glass	✓
Jug	\checkmark
Blender bowl	✓
No-splash spout	✓ - 2 sizes
Sloping base	\checkmark
Drip catcher tray	✓ - Large capacity
Automatic pulp ejection	\checkmark
Translucent pulp collector	7.2 L
Continuous pulp ejection chute	✓









BACK TO SUMMARY

JUICE AND COULIS EXTRACTOR

- Juicing of high-pulp fruit and vegetables.
- Extraction of small amounts of cooked or soft fruit and vegetable coulis.
- Keeps beneficial skin, seeds and fibre.



C 40

Motor	Induction
Wattage	500 W
Voltage	230 V single-phase
Speed	1,500 rpm
Flow rate	12 L/hr
Bowl	Composite material

Choose your model:	C 40	Ref.
your mouch.	C 40 230V/50/1	55041D

Gaspacho, tomato sauce, meat and fish marinades, smoothies, fruit coulis, sorbets and ice-cream.







Lemon juice for beverages, sorbets and marinades.



162 2025 Edition robot @ coupe°

BACK TO SUMMARY

AUTOMATIC SIEVES

LET OUR SIEVE DO THE WORK!

Our multi-purpose, heavy duty, automatic sieves are designed to make fruit coulis and pulp, vegetable mousse, stock, fish soups, etc. by separating seeds, stones, fibres and shells without grinding them. The continuous feed system makes it easy to use and a great time saver, especially for homemade dishes.

AUTOMATIC SIEVES

HOPPER

Continuous feeding of washed ingredients that have not been shelled or seeded.

PERFORATED BASKET

The products fall inside the basket where they are centrifuged.

PADDLES

System of paddles rotating at 1500 rpm, causing the ingredients inside the basket to be separated by centrifugal force.



WASTE EJECTION CHUTE That is, skins, seeds, stones, tails, shells, fibres, etc.







FISH AND SHELLFISH SOUP



3 mm

OLIVES



CHERRIES, PLUMS, etc.



5 mm



APRICOTS



PEACHES, PRUNES, etc.



0.5 mm To filter fibres and very fine impurities. Used in addition to the 1 mm perforated basket.



BERRIES, CHESTNUTS, etc.



PLANT-BASED BEVERAGES (COCONUT MILK, ALMOND MILK, etc.)





C 80

Motor	Induction	
Wattage	650 W	
Voltage	Single phase	
Speed	1500 rpm	
Flow rate	60 kg/hr	
Continuous feed	\checkmark	
Continuous waste ejection	\checkmark	
Motor base	Stainless steel	
Bowl	Stainless steel	
Feet	-	
Hopper	Stainless steel	
Table-top model	\checkmark	
Floor-standing model	-	
Perforated basket	1 mm perforated basket - Included	

C 120

Induction
900 W
Single phase
1500 rpm
120 kg/hr
\checkmark
\checkmark
Stainless steel
Stainless steel
Stainless steel
Stainless steel
-
\checkmark
1 mm perforated basket - Included

Choose your model:



C 80	Ref.	C 120	Ref.
C 80 230V/50/1	55013	C 120 230V/50/1	55033

	C 8	30	C 120	
Options	Ref.		Ref.	
Perforated basket 0.5 mm	57009		57211	
Perforated basket 1.5 mm	-	-	57042	
Perforated basket 2 mm	-	-	57019	
Perforated basket 3 mm	57008		57156	
Perforated basket 5 mm	-	-	57020	
Additional 1 mm perforated basket	57007		57145	
Additional rubber scraper (per unit)	100338S		100702S	

BACK TO SUMMARY



C 200 Special Industry C 200 V.V.

Motor	Induction	Induction
Wattage	1800 W	1800 W
Voltage	3 phase	Single phase
Speed	1500 rpm	100 - 1800 rpm
Flow rate	150 kg/hr	150 kg/hr
Continuous feed	\checkmark	✓
Continuous waste ejection	\checkmark	✓
Motor base	Stainless steel	Stainless steel
Bowl	Stainless steel	Stainless steel
Feet	Stainless steel	Stainless steel
Hopper	Stainless steel	Stainless steel
Table-top model	-	-
Floor-standing model	\checkmark	\checkmark
Perforated basket	1 mm and 3 mm perforated baskets Included	1 mm and 3 mm perforated baskets Included

Choose your model:

C 200 Special Industry	Ref.	
C 200 Special Industry 400V/50/3	55015	C 200 \

C 200 V.V.	Ref.	
C 200 V.V. 230V/50/1	55018	

It is advisable to use a type A or type B GFCI

Choose your options:

	C 200 all models
Options	Ref.
Perforated basket 0.5 mm	57211
Perforated basket 1.5 mm	57042
Perforated basket 2 mm	57019
Perforated basket 3 mm	57156
Perforated basket 5 mm	57020
Additional 1 mm perforated basket	57145
Additional rubber scraper (per unit)	100702S

PLANETARY MIXER



EFFICIENT, HEAVY-DUTY, QUIET AND PRODUCTIVE

Robot-Coupe Planetary Mixers are the ideal day-to-day tool for kitchen chefs and pastry chefs.



PLANETARY MIXER

RM8



Ultra-quiet and extremely convenient to use.

····HEAVY DUTY

all-metal frame for perfect stability and easy maintenance.

PERFORMANCE

Attachments designed to perfectly match the bowl's shape. **The bowl is very curved** which makes kneading easy and allows very small quantities to be produced.

···· ERGONOMICS

Tiltable head for total release of attachments and easy insertion of bowl. Robot-Coupe patented bowl lock-in system.



POWERFUL

Commercial-grade motor stands up to intensive use.

PRODUCTIVITY

Large-capacity stainless steel bowl. Ergonomic handle.

SAFETY

- Meets the EN 454 professional safety standard with:
- > Safety shield preventing access to the attachment
- > Lock-in system
- > Bowl detection device

NEW



STAINLESS STEEL WHISK

For producing very light fluffy whipped cream. 1 L of pure cream produces 3 L of whipped cream.

STAINLESS STEEL PADDLE

Because the paddle keeps bringing the preparation back to the middle of the bowl, the mixture has a very even consistency. **Up to 1.5 kg of softened butter in a minimum amount of time.**

🖉 INNOVATION



STAINLESS STEEL SPIRAL HOOK Optimum kneading of

bread dough with the patented kneading hook. 4 kg of bread dough for less than 2£ of raw materials.

BACK T<u>O SUMMARY</u>



RM 8

Motor	Induction
Wattage	700 W
Voltage	Single phase
Speed	10 speeds from 60 to 600 rpm
Bowl	7.6 L stainless steel with handle
Attachments	Stainless steel whisk, paddle, spiral hook Included

RM 8		
RM 8 230V/50/1	26231D	



Choose your options:

	RI	A 8
Options	Ref.	
7.6 L stainless steel bowl with handle	28419	
Whisk	28439	
Paddle	28438	
Spiral kneading hook	28437	

>	Bread dough (60% hydration)	Up to 4 Kg
	Softened butter	Up to 1.5 Kg
	Egg whites	Up to 16







TECHNICAL DATA

FOOD	PROC	ESS0	RS				Weight (kg)					
Description	Def	Weller	Single	0		Machine			Packaging	•••••	Net	0
Description	Ref.	Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross
R 201 XL 230V/50/1	22571D	550	•		245	305	560	400	300	540	10	11
R 201 XL Ultra 230V/50/1	22591D	550	•		245	305	560	400	300	540	10	11
R 211 XL Ultra 230V/50/1	2119D	550	•		245	385	510	610	410	570	13	14
R 301 230V/50/1	2539	650	•		355	305	570	610	410	570	14	17
R 301 Ultra 230V/50/1	2540	650	•		355	305	570	610	410	570	14	17
R 401 230V/50/1	2427	700	•		320	305	570	610	410	570	18	20
R 402 230V/50/1	2458W	750	•		320	305	590	610	410	570	21	23
R 402 400V/50/3	2438W	750		•	320	305	590	610	410	570	22	24
R 402 V.V. 230V/50/1	2443W	1 000	•		320	305	590	610	410	570	22	23
R 502 400V/50/3	2382	900		•	380	365	670	490	390	650	29	34
R 502 V.V. 230V/50-60/1	2389	1 500	•		380	365	670	490	390	650	30	35
R 752 400V/50/3	2113	1 800		•	380	365	710	490	390	650	33	38
R 752 V.V. 230V/50-60/1	2080	1 500	•	•	380	365	710	490	390	650	34	38

VEGETABLE PREPARATION MACHINES

							- J - (J)					
Description	Ref.	Wattage	Single	Three		Machine			Packaginę]	Net	Gross
		Tuttugo	phase	phase	L	D	H	L	D	H	not	
CL 20 230V/50/1	22395	400	•		325	310	570	400	385	610	11	12
CL 40 230V/50/1	24571	500	•		345	330	590	400	385	610	14	15
CL 50 - 1V 230V/50/1	24442	550	•		380	305	595	400	390	640	18	20
CL 50 - 1V 400V/50/3	24446	550	-	•	380	305	595	400	390	640	18	20
CL 50 - 2V 400V/50/3	24449	600		•	380	305	595	400	390	640	18	20
CL 50 Ultra - 1V 230V/50/1	24470	550	•		380	305	595	400	390	640	18	20
CL 50 Ultra - 1V 400 V/50/3	24473	550	0 - - - - - - - -	•	380	305	595	400	390	640	18	20
CL 50 Ultra - 2V 400V/50/3	24476	600		•	380	305	595	400	390	640	18	20
CL 50 Ultra Pizza 230V/50/1	2028W	550	•	•	380	305	595	400	390	640	18	20
CL 50 Gourmet 230V/50/1	24555	550	•		390	340	610	400	390	640	20	22
CL 52 - 1V 230V/50/1	24492	750	•	* * * *	360	340	690	400	390	800	26	28
CL 52 - 2V 400V/50/3	24501	900	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	•	360	340	690	400	390	800	26	28
CL 55 Pusher Feed Head 230V/50/1	2252	1 100	•	· · · · · · · · · · · · · · · · · · ·	700	359	1100	1120	785	510	35	54
CL 55 Pusher Feed Head 400V/50/3	2214	1 100	a 	•	700	359	1100	1120	785	510	35	54
CL 55 2 Feed Head 230V/50/1	2073	1 100	•		865	396	1270	1120	785	510	42	61
CL 55 2 Feed Head 400V/50/3	2211	1 100		•	865	396	1270	1120	785	510	42	61
CL 60 Pusher Feed Head 400V/50/3	2319F	1 500	· • • •	•	335	560	1160	1120	800	900	57	83
CL 60 V.V. Pusher Feed Head 230V/50/1	2323F	1 500	•		460	770	1355	1120	800	900	69	95
CL 60 2 Feed Head 400V/50/3	2325F	1 500	-	•	460	770	1355	1120	800	900	69	95
CL 60 V.V. 2 Feed Head 230V/50/1	2329F	1 500	•	* * * *	460	770	1355	460	770	1355	69	95

Dimensions (mm)

Weight (kg)

CUTT	CUTTER MIXERS							Dimensions (mm)						
Description	D -6		Single	0		Machine			Packaginę			0		
Description	Ref.	Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross		
R 2 230V/50/1	22107D	550	•		245	305	380	400	300	540	9	11		
R 3 1500 230V/50/1	22383	650	•		210	320	400	400	300	540	10	11		
R 3 3000 230V/50/1	22389	650	•		210	320	400	400	300	540	12	13		
R 4 - 1V 230V/50/1	22434	700	•		225	305	440	400	300	540	13	14		
R 4 - 2V 400V/50/3	22437	900		•	225	305	440	400	300	540	17	18		
R 4 V.V. 230V/50-60/1	22412	1 000	•		225	305	460	400	300	540	17	18		
R 5 - 1V 230V/50/1	24609M	750	•		280	365	510	490	390	650	21	23		
R 5 - 2V 400V/50/3	24614M	1 500		•	280	365	510	490	390	650	21	24		
R 5 V.V. 230V/50-60/1	24623M	1 500	•	* · · · · · · · · · · · · · · · · · · ·	280	365	510	490	390	650	22	24		
R 7 V.V. 230V/50-60/1	24711M	1 500	•		280	365	540	490	390	650	23	26		
R 8 400V/50/3	21291	2 200		•	315	545	585	700	470	700	37	45		
R 8 V.V. 230V/50/1	21285	2 200	•		315	545	585	700	470	700	38	47		
R 10 400V/50/3	21391	2 600		•	345	560	660	700	470	700	42	51		
R 10 V.V. 230V/50/1	21385	2 600	•	* · · · · · · · · · · · · · · · · · · ·	345	560	660	700	470	700	47	54		
R 15 400V/50/3	51491	3 000		•	370	615	680	765	465	780	50	59		
R 15 V.V. 380-480V/50-60/3	51487	3 000		•	370	615	680	765	465	780	50	59		
R 20 400V/50/3	51591	4 400		•	380	630	760	765	465	780	77	86		
R 20 V.V. 380-480V/50-60/3	51587	4 400		•	380	630	760	765	465	780	77	86		
R 23 400V/50/3	51331C	4 500		•	700	600	1250	800	700	1260	110	142		
R 30 400V/50/3	52331C	5 400		•	720	600	1250	800	700	1260	126	148		
R 30 V.V. 400V/50/3	52338C	5 400		•	720	600	1250	800	700	1260	126	148		
R 45 400V/50/3	53331C	10 000		•	760	600	1400	990	690	1400	172	195		
R 45 V.V. 400V/50/3	53338C	10 000		•	760	600	1400	990	690	1400	172	195		
R 60 400V/50/3	54331C	11 000		•	810	600	1400	990	690	1400	187	212		

Rot	Dimensions (mm)							Weight (kg)				
Description	Ref.	Wattane	Single phase	3 phase	Machine				Packaging	Net	Gross	
		wallaye			L	D	H	L	D	H	NGL	01055
Robot Cook 230V/50-60/1	43001R	1 800	•	- - - - - - - -	225	340	520	410	310	590	14	16

TECHNICAL DATA

E	Blixer®								Dimensions (mm)							
Description	Dof	Wattana	Single	0 mhaaa		Machine			Packaging]	Net	Gross				
Description	Ref.	Wattage	phase	3 phase	L	D	H	L	D	H	NCL	61055				
Blixer [®] 2 230V/50/1	33232D	700	٠		245	305	400	390	295	560	10	12				
Blixer [®] 3 230V/50/1	33198	750	•	•	245	305	460	390	295	560	12	14				
Blixer [®] 4 - 1V 230V/50/1	33209	900	•	* * * * * * * * * * * * * * * * * * *	240	330	480	400	300	540	14	15				
Blixer [®] 4 - 2V 400V/50/3	33215	1 000		•	240	305	445	400	300	540	14	15				
Blixer® 4 V.V. 230V/50-60/1	33281	1 100	•		240	330	480	400	300	540	16	17				
Blixer® 5 - 2V 400V/50/3	33259M	1 500		•	280	365	540	490	390	650	21	24				
Blixer [®] 5 V.V. 230V/50-60/1	33265M	1 500	•		280	365	540	490	390	650	22	24				
Blixer® 7 V.V. 230V/50-60/1	33298M	1 500	•	* * * *	280	365	570	490	390	650	23	25				
Blixer [®] 8 400V/50/3	21311	2 200		•	315	545	605	700	470	800	39	47				
Blixer [®] 8 V.V. 230V/50/1	21305	2 200	•	* * *	315	545	605	700	470	800	39	47				
Blixer [®] 10 400V/50/3	21411	2 600		•	315	545	680	700	470	800	42	51				
Blixer [®] 10 V.V. 230V/50/1	21405	2 600	•		315	545	680	700	470	800	42	51				
Blixer [®] 15 400V/50/3	51511	3 000		•	315	545	700	765	465	780	50	59				
Blixer [®] 15 V.V. 400V/50/3	51507	3 000		•	315	545	700	765	465	780	50	59				
Blixer [®] 20 400V/50/3	51611	4 400		•	380	630	780	765	465	780	77	86				
Blixer [®] 20 V.V. 400V/50/3	51607	4 400		•	380	630	780	765	465	780	77	86				
Blixer [®] 23 400V/50/3	51341	4 500		•	700	600	1250	800	700	1260	110	142				
Blixer [®] 30 400V/50/3	52341	5 400		•	720	600	1250	800	700	1260	131	154				
Blixer [®] 45 400V/50/3	53341	10 000		•	760	600	1400	990	690	1400	172	195				
Blixer [®] 60 400V/50/3	54341	11 000		•	810	600	1400	990	690	1400	187	210				

KITCH	KITCHEN BLENDERS							Dimensions (mm)						
Description	Ref.	Wattage	Single phase	3 phase	L	Machine D	н	L	Packaging D	l H	Net	Gross		
BL 3 230V/50/1 BL 5 230V/50/1	47011A 47001A	1 100 1 200	•		215 215	470 470	450 500	535 535	295 295	550 550	14 14	16 17		

IMMERSI)N BLE	NDER	S				Weight (kg)				
			Single		Mac	hine		Packaging	 J		
Description	Ref.	Wattage	phase	3 phase	Ø	H	L	D	H	Net	Gross
MicroMix 230V/50/1	34901	220	•		61	430	435	155	75	1	1
Mini MP 160 V.V. 230V/50/1	34741	240	•		78	455	455	190	115	1	2
Mini MP 190 V.V. 230V/50/1	34751	270	•		78	485	455	190	115	2	3
Mini MP 240 V.V. 230V/50/1	34761	290	•		78	535	455	190	115	2	3
CMP 250 V.V. 230V/50/1	34241B	310	•		94	650	690	230	130	3	4
CMP 300 V.V.230V/50/1	34231B	350	•		94	660	690	230	130	3	4
CMP 350 V.V. 230V/50/1	34251B	400	•		94	700	690	230	130	4	4
CMP 400 V.V. 230V/50/1	34261B	420	•		94	718	690	230	130	4	4
MP 350 Ultra 230V/50/1	34801L	440	•		125	740	930	275	155	5	7
MP 350 V.V. Ultra 230V/50/1	34841L	440	•		125	740	930	275	155	5	6
MP 450 Ultra 230V/50/1	34811L	500	•		125	840	930	275	155	5	6
MP 450 V.V. Ultra 230V/50/1	34851L	500	•		125	840	930	275	155	5	7
MP 550 Ultra 230V/50/1	34821LH	750	•		125	940	930	275	155	5	7
MP 600 Ultra 230V/50/1	34831LH	850	•		125	980	930	275	155	6	7
MP 800 Turbo 230V/50/1	34891L	1 000	•		125	1130	695	400	235	7	9
MP 350 Ultra TP 230V/50/1	34591L	440	•		125	763	930	275	155	5	8
MP 800 Turbo TP 230V/50/1	34791L	1 000	•		125	845	930	275	155	6	8
Mini MP 190 Combi 230V/50/1	34771	270	•		78	485	455	190	115	2	3
Mini MP 240 Combi 230V/50/1	34781	290	•		78	535	455	190	115	2	3
CMP 250 Combi 230V/50/1	34301B	310	•		125	640	560	345	130	3	6
CMP 300 Combi 230V/50/1	34311B	350	•		125	700	560	345	130	3	6
MP 350 Combi Ultra 230V/50/1	34861L	440	•		125	790	930	275	155	6	8
MP 450 Combi Ultra 230V/50/1	34871L	500	•		125	890	930	275	155	6	8
MP 450 FW Ultra 230V/50/1	34881L	500	•		125	800	930	275	155	6	9
MP 450 XL FW Ultra 230V/50/1	34281L	500	•		175	1210	930	275	155	5	9

JUICI	JUICE EXTRACTORS							Dimensions (mm)						
Description	Def	Wattons	Single	2 nhooo		Machine	•••••		Packagin]	Net	Croco		
Description	Ref.	Wattage	phase	3 phase	L	D	H	L	D	H	Net	Gross		
J 80 230V/50/1	56001B	700	•		235	535	500	465	285	530	11	13		
J 80 Buffet 230V/50/1	56201B	700	•		260	565	595	790	292	535	11	13		
J 100 230V/50/1	56101B	1 000	•		260	565	630	790	292	530	15	18		
C 40 230V/50/1	55041D	500	•		245	305	470	295	390	560	10	11		

TECHNICAL DATA

AUTOMATIC SIEVES						Dimensions (mm)						
Description	Ref.	Wattage	Single phase	3 phase	Machine			Packaging				0
					L	D	H	L	D	H	Net	Gross
C 80 230V/50/1	55013	650	•		610	360	540	665	475	560	17	21
C 120 230-400V/50/3	55033	900		•	1030	400	860	880	585	885	32	46
C 200 230-400V/50/3	55015	1 800		•	1030	400	860	880	585	885	40	54
C 200 V.V. 230V/50/1	55018	1 800	•		1030	400	860	880	585	885	45	59

PLANETARY MIXER						Dimensions (mm)						Weight (kg)		
Description	Ref.	Wattage	Single phase	3 phase	Machine			Packaging			Not	Cross		
					L	D	Н	L	D	H	Net	UTUSS		
RM 8 230V/50/1	26231D	700	•	• • • • • •	320	513	405	540	335	475	17	21		

TERMS AND CONDITIONS OF SALE

INTERPRETATION

«Seller means Robot-Coupe (UK) Limited (company number: 01393429).

«Buyer» means the other party contracting with the Seller.

«Conditions» means the standard terms and conditions of sale set out in this document and (unless the context otherwise requires) including any special terms and conditions agreed in writing between the Buyer and the Seller in accordance with clause 3(c).

«Contract» means the contract for the sale and purchase of the Equipment.

«Default» means any act, statement, omission, breach of obligation (whether expressed or implied, condition or warranty) contained in, precedent or collateral to the Contract, breach of duty under statute or at common law or negligence by or on the part of the Seller in connection with or arising out of the subject matter of the Contract.

«Equipment» means the goods including spare parts, purchased by the Buyer or to be serviced or repaired by the Seller.

GENERAL

It is acknowledged that all Equipment purchased under the Conditions are required by the Buyer in the course of his business.

BASIS OF THE SALE

The Seller shall sell and the Buyer shall purchase the Equipment in accordance with any written order of the Buyer which is accepted by the Seller subject to the Conditions which shall govern the Contract to the exclusion of any other terms and conditions subject to which any such order is made or purported to be made by the Buyer.

No binding Contract shall in any event arise until the Buyer's written order has been accepted by the Seller.

No variation of the Conditions shall be binding unless agreed in writing between the Seller and the Buyer.

Any samples, illustrations or descriptive material including but not limited to particulars of shade and pattern and other information contained in the Seller's brochures, advertising material or elsewhere shall not form part of the Contract and shall be treated as approximate and for guidance only unless specifically stated otherwise. The Seller may at its discretion from time to time vary the design of the Equipment from that advertised without notice to the Buyer provided that any such variations do not constitute material alterations to the Equipment.

PRODUCT WARRANTY

The terms of any specific product guarantee offered by the Seller to customers of the Equipment shall be specifically made part of the Conditions. The Buyer undertakes to observe the Seller's service policy as laid down from time to time.

The Seller warrants that the Equipment will correspond with its specification at the time of delivery and will be free from defects in material and workmanship for a period of 12 months from delivery. The above warranty is given by the Seller subject to the following conditions:

the Seller shall be under no liability in respect of any defect arising from fair wear and tear, wilful damage, negligence, failure to follow the Seller's instructions (whether oral or in writing), misuse, alteration, or repair of the Equipment without the Seller's approval; and the Seller shall be under no liability under the above warranty (or any other warranty, condition or guarantee) if the defect is found to result from alteration or repairs made by the Buyer or on his authority without written consent of the Seller.

Where any valid claim in respect of any of the Equipment which is based on any defect in the quality or condition of the Equipment or their failure to meet specification is notified to the Seller in accordance with the Conditions, and the defective Equipment has been returned to the Seller with each part with which it was sold together with a report setting out the name and address of the end customer, the date of purchase and the defect reported, the Seller shall, at its sole discretion, replace the Equipment (or the part in question) free of charge or refund to the Buyer the price of the Equipment (or a proportionate part of the price) but the Seller shall have no further liability to the Buyer.

The Buyer shall return the defective Equipment to the Seller together with each and every part with which it was sold in a reasonable and proper condition save for the defect of which complaint is made. Each such item of Equipment returned must be accompanied by a report from the Buyer setting out the name and address of the customer, the date of the purchase and the defect reported.

CONDITIONS, WARRANTIES AND REPRSENTATIONS EXCLUDED

The Seller gives only those express warranties set out in condition 4 and no other conditions, warranties or representations (whether express or implied) are given, save as may be required to be given by law.

In particular, but without prejudice to the generality of the foregoing, the implied conditions as to satisfactory quality shall be deemed to be satisfied after the expiration of twelve months and the only purpose for which the Equipment is supplied are laid down in the manual supplied with the Equipment.

In relation to any Default the Seller will accept unlimited liability for:

death or personal injury caused by the negligence of the Seller; and anything else for which the Seller cannot at law limit or exclude its liability.

The Seller will not be liable for the following loss or damage however caused/arising directly or indirectly out of any Default and even if foreseeable by the Seller:

economic loss including administrative and overhead costs, loss of profits, business, contracts, revenues, goodwill, production and anticipated savings of every description; loss arising from any claim made against the Buyer by any other person; or loss or damage arising from the Buyer's failure to fulfil its responsibilities or any matter under the control of the Buyer.

Except for the liabilities accepted by the Seller under sub-clause 5(b) the Seller's liability for any one Default shall be limited to an amount equal to the price of the Equipment.

DELIVERY

Risk of loss of or damage to any order of the Equipment shall pass to the Buyer at the time of delivery to the agreed place of delivery or if the Buyer wrongfully fails to take delivery of the Equipment, the time when the Seller has tendered delivery of the Equipment.

Dates of delivery are considered as approximate only unless there is a specific agreement to the contrary.

Where appropriate, shipping schedules shall be agreed between the parties, however the Equipment is sold subject to availability and the Seller shall be entitled to allocate for delivery to the Buyer smaller quantities of the Equipment than those ordered if in the Seller's sole opinion its supplies shall be insufficient to meet the requirements of all its customers.

PRICES AND CARRIAGE

Unless otherwise stated all prices for the Equipment shall be those in the Seller's current price list and, unless otherwise stated, shall be inclusive of all charges other than VAT or any other sales tax (which shall be payable by the Purchaser subject to receipt of a valid VAT invoice). All orders shall be subject to a carriage charge, price upon application.

PAYMENT

Unless the Buyer has established an account with the Seller full payment will be paid with each order.

Where the Buyer has established an account with the Seller payment will be made in full 28 days from the date of invoice or as otherwise agreed between the Seller and the Buyer.

CANCELLATION

No order which has been accepted by the Seller may be cancelled by the Buyer except with the agreement in writing of the Seller and on terms that the Buyer shall indemnify the Seller in full against all loss (including loss of profit) costs (including the costs of all labour and materials used) damages, charges and expenses incurred by the Seller as a result of cancellation.

RETENTION OF TITLE

The Seller and the Buyer expressly agree that until payment has been made in full for the Equipment:

Property in any order of the Equipment shall not pass to the Buyer until the Seller has received in cash or cleared funds payment in full of the price of that order and all other Equipment supplied by the Seller to the Buyer for which payment is then due.

Until such time as the property in the Equipment passes to the Buyer, the Buyer shall:

hold the Equipment as the Seller's fiduciary agent and bailee; keep the Equipment separate from those of the Buyer and third parties and properly stored, protected, insured and identified as the Seller's property; and be entitled to resell or use the Equipment in the ordinary course of its business (unless the Seller revokes such entitlement in writing). On any such sale or use of the Equipment the Buyer shall sell or use those Equipment as have been longest in its possession.

Until such time as the property in the Equipment passes to the Buyer (and provided that the Equipment is still in existence and has not been resold) the Seller shall be entitled; at anytime to enter upon any premises where the Equipment is stored to inspect it; and at any time to require the Buyer to deliver up the Equipment to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the Equipment is stored and repossess the Equipment.

The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the Equipment which remain the property of the Seller, but if the Buyer does so all monies owing by the Buyer to the Seller shall (without prejudice to any other right or remedy of the Seller) forthwith become due and payable.

The Buyer shall insure the Equipment with a reputable insurance company for its full market value and will provide such evidence of cover and payment of premium as the Seller may reasonably require. The Buyer further agrees to procure that the Seller is specified as loss payee in any such contract of insurance, if the Seller should so elect.

FORCE MAJEURE

The Seller shall not be liable to the Buyer or be deemed to be in breach of any Contract to which the Conditions apply by reason of any delay in performing, or any failure to perform, any of its obligations in relation to the Equipment, to the extent that the delay or failure was beyond the Seller's reasonable control.

If the Seller is prevented from fulfilling any order or Contract with a reasonable time by force majeure, it will notify the Buyer of the delay. The Seller shall be under no liability to the Buyer and shall be entitled to extend the time or times for delivery or otherwise performing such Contract for so long as such cause of prevention or delay shall continue.

If the event of force majeure continues for a period of more than 3 months, the Buyer shall have the right on giving notice to the Seller to terminate any Contract to which these Conditions apply.

INTELLECTUAL PROPERTY RIGHTS

The Equipment includes designs (the «Designs») which are the property of the Seller. The Buyer acknowledges that the Seller owns the copyright, design right and all other intellectual property rights in the Designs.

The Buyer agrees that the Designs may not be reproduced or used in any way except with the prior written consent of the Seller.

The Seller has not knowingly infringed any intellectual property rights of any third party but does not warrant or give any assurance to the Buyer that any Design does not infringe the intellectual property rights of any third party.

The Buyer shall leave in position and not cover, deface of erase any notices or other marks (including without limitation serial numbers and notices that a trade mark, design, patent or copyright relating to the Equipment is owned by the Seller or a third party) which the Seller may place on or affix to the Equipment.

The Buyer shall not in any of its stationery nor by any sign at its premises or otherwise indicate that it is in any way connected with the Seller other than that it is an appointed stockist of the Equipment.

GENERAL

The Buyer shall not without the prior written consent of the Seller sub-contract or assign the Contract to any other party.

Each clause and sub-clause in these Conditions is separate and severable and enforceable accordingly.

GOVERNING LAW AND JURISDICTION

This Contract shall be governed by and construed in accordance with the laws of England and Wales and the parties hereby submit to the exclusive jurisdiction of the courts of England and Wales.



ROBOT COUPE (UK) LTD 2 Fleming Way, Isleworth TW7 6EU T: +44(0) 20 8232 1800 E: sales@robotcoupe.co.uk

www.robotcoupe.co.uk

